WATER WELL R Original Record		Form WW			rision of Wate ources App. N		<i>n</i>	ell ID		
1 LOCATION OF W.		- 1 -			ction Number		p Number		ge Number	
County: Ho.	1/201	1140	tion 4S= 1/4N = 1/4	1/4	3/2		3 23 S	R /	ZE W	
County: A Y	st Name: St	roble First	Marko	Street or Ru	ral Address	where well is	located (if ii			
Business: 01011	D It	Lucat							heck here:	
Address: 2124 Deltinger										
Address: Newto	2 m	State: KQ ZIP	1014125							
3 LOCATE WELL				170						
WITH "X" IN		I OF COMPLE			. 5 Latit	ude:		(decimal degrees)	
SECTION BOX:	Depth(s) G	roundwater Encour	ntered: 1)	ft.		itude:				
N	2)	e. T. ft. 3)	tt., or 4) []	Dry Well		n: WGS 84		\square N.	AD 27	
	WELL'S STATIC WATER LEVEL:d ft								,	
NW NE	below land surface, measured on (mo-day-yr)									
	Pump test data: Well water was							0)		
W E	after hours pumping gpm							*****************		
SW SE -			/as ft.							
			s pumping gpm			6 Elevation:ft. Ground Level TOC				
S	Estimated Yield:				Source: Land Survey GPS Topographic Map					
1 mile in. to						Other				
7 WELL WATER TO BE USED AS:										
1. Domestic:	5.	Public Water Sup	pply: well ID		10. □ Oi	il Field Water S	upply: lease			
☐ Household		Dewatering: how				Hole: well ID				
Lawn & Garden		7. Aquifer Recharge: well ID				ased 🔲 Uncas				
Livestock 2. Irrigation	8. Monitoring: well ID					12. Geothermal: how many bores?				
3. ☐ Feedlot	9. Environmental Remediation: Well ID Air Sparge Soil Vapor Extraction				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industrial		Recovery	☐ Injection			ther (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:										
Water well disinfected? Ves No										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: De Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface										
1 YPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) ~ ()										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From 20 ft. to										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft.										
Nearest source of possible			rom 17	i. to	n., From	ft. 1	io	π.		
Septic Tank		Lateral Lines	☐ Pit Privy	П	Livestock Pe	ens 🗆	Insecticide	Storage		
Sewer Lines								Vell		
Watertight Sewer Lin	es 🗆	Seepage Pit	☐ Feedyard		Fertilizer Sto		Oil Well/G	as Well		
Other (Specify)										
Direction from well? V			Distance from wel			LITIO LOCA		UCCIN	Chiernala	
0 22		LITHOLOGIC L W Clay	OG	FROM	TO	LITHO. LOG	cont.) or PL	UGGINC	JINTERVALS	
22 35-	Sand		27							
CX CX (Decen) ancer		- CUGGC				· · · · · ·			MA	
35 63	Blue.	Shale	·							
63 64 6	From	bled S	halex	come	Was	ten				
		-		Notes:			_			
04 78	Gra	y Showle								
11 60)	•	/		The state of the s		The state of the s				
11 CONTRACTOR'S under my jurisdiction an	OR LAND	OWNER'S CEI	RTIFICATION	his wate	r well was [constructed,	reconstr	ructed, o	or plugged	
Kansas Water Well Con	iu was comp tractor's Lic	cense No	This Wat	.⊶ and er Well R <i>ec</i>	uns record :	is true to the bands	əst ot my Kr o-dav-vear)	iowieag	e and belier.	
under the business name	of 13	WCK.hvs	e Drill	N. M.C.		inprotection (in		-		
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Burgar of Water, Geology Section, 1000 SW Jackson St., Suite 420, Toneka, Kansas 66612-1367, Telephone (785) 296-3565										

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html