1 LOCATION OF WATER WELL: Fraction Section Number Township Number	Vell ID	
Country Hay say and I VS WAY O'MY 5	Range Number	
	R/ZEOW	
2 WELL OWNER: Last Name of ege First: Delth edirection from nearest town or intersection): If at owner's a	unknown, distance and	
Business: Delhe direction from nearest town or intersection): If at owner's address, check here:		
Address: 300 E 2 7 45		
City: N. Newton State State ZIP 67/117		
3 LOCATE WELL		
WITH "X" IN 4 DEPTH OF COMPLETED WELL: The state of the s	-	
SECTION BOX: Depth(s) Groundwater Encountered: 1) ft. Longitude:		
N 2)	3 □ NAD 27	
	,	
Pump test data: Well water was		
W E after hours pumping		
Well water was ft.	, , , , , , , , , , , , , , , , , , , ,	
	Ground Laval Cl TOC	
S Bore Hole Diameter: July in, to Source: Land Survey GPS		
S Estimated Yield:		
7 WELL WATER TO BE USED AS:		
1. Domestic: 5. Public Water Supply: well ID	;	
☐ Household 6. ☐ Dewatering: how many wells?		
Zawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geo		
Livestock 8. Monitoring: well ID		
2. ☐ Irrigation 9. Environmental Remediation: well ID		
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Disched 4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:		
Water well disinfected? No No		
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: ZI-citied Clamped Welded Threaded		
Casing diameter		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)		
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)		
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From □ Lourence of the control of		
SCREEN-PERFORATED INTERVALS: From ft., from ft. to ft., From	ft. to ft.	
GRAVEL PACK INTERVALS: From 20. ft. to 30. ft., From ft. to ft., From	ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other	0	
Grout Intervals: From	II.	
Septic Tank	Storage	
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned		
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/G		
Other (Specify)		
Direction from well? Distance from well? ft.		
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PL	UGGING INTERVALS	
on 40 Yellow - Red Clay		
40 45 Fine Sand & Mixed Clay		
H5 100 121,000 000 000		
73 80 DIVE CFRAY Shale	and the second s	
1966, 1979, 40 au len	INOTES:	
Notes:		
Notes:		
	tructed or nlugged	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed under my jurisdiction and was completed on (mozdayzyear)	tructed, or plugged nowledge and belief.	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed in reconstructed in the best of my k Kansas Water Well Contractor's License No)././-2-1-	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed under my jurisdiction and was completed on (mozdayzyear))./.1	

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html