		RECORD	Form WWC			ision of Water	1	Well ID	
		Correction VATER WEI	Change in Wel	n /		urces App. No tion Number	Township Numb	per Range Number	
	Har V		LIL:	JW 14 NW4	Alle 200	29	TAT S	R \ ZE \ W	
2 WELL	OWNER.	act Name	First:					(if unknown, distance and	
Business:								er's address, check here:	
Address:	Address: Boy hour Fairle								
Address:	, .		State: KC ZIP	17/33	404	Depo	tst IVe	oton to	
City: -						1			
X WITH "			I OF COMPLET			I		(decimal degrees)	
/ \	Depth(s) Groundwater Encountered: 1)					Longitude:(decimal degrees)			
Ŋ	WELL'S STATIC WATER LEVEL: ft.						Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:		
			land surface, measure			GPS (unit make/model:)			
NW -	NW - NE - Dabove land surface, measured on (mo-day						(WAAS enabled?		
1.	Pump test data: Well water was ft.				•	☐ Land Survey ☐ Topographic Map			
w	E afterhours pumpinggpm					On	line Mapper:		
Well water was									
		Estimated V	after hours pumping			6 Elevat	i on: ft	i. 🗌 Ground Level 🔲 TOC	
	S	Bore Hole	Bore Hole Diameter:			Source:	Source: Land Survey GPS Topographic Map		
1 n	nile		752	in. to/.20	? . ft. 🔻		☐ Other		
7 WELL WATER TO BE USED AS:									
1. Domestic:			Public Water Supp					ease	
Housel			Dewatering: how				ole: well ID	1	
☐ Lawn d			Aquifer Recharge:				ed □ Uncased □ ermal: how many bore	1	
2. Irrigati							sed Loop Horizon		
3. ☐ Feedlo	_					b) Open Loop Surface Discharge Inj. of Water			
4. Industr				☐ Injection					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE C	F CASING	GUSED: 🗆 S	Steel PVC Ot	her	CASIN	NG JOINTS:	☑ Glued ☐ Clampe	d Welded Threaded	
Casing diam	eter 5	in. to!	20 ft., Diamet	er	in. to	ft., Diame	ter in. to	ft.	
Casing heigh	nt above land	l surtace	in. We	eight $\mathcal{L}(\mathcal{M})$ $\mathcal{L}(\mathcal{M})$	(D lbs./ft.	Wall thickr	ess or gauge No. 2	<i>'</i>	
			TION MATERIAI	L: Z PVC		□ O41-	- (C:£.)		
☐ Steel ☐ Stainless Steel ☐ Fiberglass									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.									
9 GROUT MATERIAL: Neat cement Grout Bentonite Other									
Grout Intervals: From									
Septic	•		Lateral Lines	☐ Pit Privy	П	Livestock Pen	s □ Insecti	cide Storage	
Sewer			Cess Pool	☐ Sewage Lag		Fuel Storage		oned Water Well	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)									
Direction from					FROM		TTHO LOG (cont.) o		
10 FROM	TO	700 G	LITHOLOGIC LO	<u>u</u>	FRUM	10	LITAU. LUG (CORE.) 0	r PLUGGING INTERVALS	
2	70	Lalla	in Cond		+				
14	36	F. 1100	n Med	Sound	1:41	C Up	iter	<u> </u>	
26	7/9	Blue	+ Grav.	Shale.	, - ,	- 1092			
775	115	Crum	bled Chr	wlo & h	later			_	
115	120	Grav	Shale					Returned to Sender	
					Notes:		Ongmai	rection Date: 6/30/	
	for Correction Data								
11 COMPRACTORIS OR LANDOWNERDS CERTIFICATION TIL.									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (morday year)									
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)									
under the business name of Backhis Dy: 11; w									
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas									
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012									
17' '-		UOV/Waterwell			6.3A X/2-1	617		Revised 9/10/2012	