KOLAR Document ID: 1410326

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use	1	ources App. 1			Well ID			
				Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Section Number Township Num ¹ / ₄ T S				ge Number		
county						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							rection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:						······································					
Address:			G	710								
City: 3 LOCAT		Γ	State:	ZIP:								
WITH '		ft										
	ON BOX:	ft.	Longitude:(decimal degrees)									
]	N	Dry Well			WGS 84 INAI		IAD 27					
	WELL'S STATIC WATER LEVEL:							Latitude/Longitude: unit make/model:)		
NW	above land surface, me				yr)		(WAAS enabled? ☐ Yes ☐ No)					
	Pump test data: Well w					Land Survey Topographic Map						
W				hours pumping gpm Well water was ft.			□ Online Mapper:					
s X				s pumping								
Estimated Yield:						6 Elevation:ft. Ground Level TOC						
				in. to	Source	Source: Land Survey GPS Topographic Map Other						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease												
	☐ Household											
🗌 Lawn	Lawn & Garden 7. Aquifer Recharge: well ID							Uncased 0				
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID.						a) Closed Loop 🔲 Horizontal 🗌 Vertical					
3. □ Feedlot □ Air Sparge □ Soil Vapor Ex 4. □ Industrial □ Recovery □ Injection							b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
				n ft. to								
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic			Lateral Line			Livestock P	ens	□ Insectic	ide Storage			
Sewer			Cess Pool	🗌 Sewage Lag		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
					-							
					Notes:							
				S CERTIFICATION								
under my j	urisdiction an	d was compl	eted on (n	no-day-year)	and	this record	is tru	te to the best of my	y knowledg	ge and belief.		
				This Wa								
	5	Send one copy to	WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												
Visit us at	ittp://www.kdhel	s.gov/waterwel	1/1ndex.html						KS	A 82a-1212		