KOLAR Document ID: 1462118

WATER WELL			WWC-5 nge in Well Use		rision of Water ources App. No		Well ID		
	Original Record Correction Change LOCATION OF WATER WELL:			Section Number					
County:				1/4 T S R					
					treet or Rural Address where well is located (if unknown, distance and				
Business:	ess: di				irection from nearest town or intersection): If at owner's address, check here:				
Address: Address:	Address:								
City:		State:	ZIP:						
3 LOCATE WELL	4 DI	EPTH OF CO	MPLETED WELL: .	fi	5 Latitue	اه·	(dagimal dagrags)		
WITH "X" IN	Donth(s) Croundwater Engagement 1)								
SECTION BOX:	2) ft. 3) ft., or 4) \Box					Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:				
						GPS (unit make/model:)			
NW NE				, measured on (mo-day-yr) vater was ft.		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
w H				pumping gpm		Online Mapper:			
SW SE		Well	water was f	ft.					
SW SE			s pumping gpm		6 Elevati	ion· ft	□ Ground Level □ TOC		
S		ated Yield:	gpm in. to ft. and			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map			
~				ft. and ft.					
7 WELL WATER TO BE USED AS:									
1. Domestic: 5. \square Public Water Supply: well ID									
Household	<u> </u>								
☐ Lawn & Garden☐ Livestock						ed Uncased (
2. ☐ Irrigation	<u> </u>				12. Geothermal: how many bores?				
3. ☐ Feedlot					on b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial ☐ Recovery ☐ Injection					13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
☐ Other (Specify)									
Direction from well? ft.									
10 FROM TO		LITHOLO	OGIC LOG	FROM	TO I	LITHO. LOG (cont.) or	r PLUGGING INTERVALS		
				1					
				Notes:	•				
11 CONTDACTODE OD I ANDOWNED'S CEDTIFICATION. This worker well was Described Described to Describe the second model of the sec									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief									
under my jurisdiction and was completed on (mo-day-year)									
under the business n	name of								
KS Department of Use	under the business name of Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
		Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							

