

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: HARVEY	SE 1/4 NW 1/4 SE 1/4	17	T23 S	R 1E EN

Distance and direction from nearest town or city street address of well if located within city?

301 - N MAIN - NEWTON

2 WATER WELL OWNER:	OLD MILL PLAZA
RR#, St. Address, Box #	LLOYD T. SMITH 301 N MAIN ST NEWTON KS 67044
City, State, ZIP Code	

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 15 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 10.9 ft. 2. - ft. 3. - ft. WELL'S STATIC WATER LEVEL 6.91 ft. below land surface measured on mo/day/yr 08-22-94 Pump test data: Well water was - ft. after - hours pumping - gpm Est. Yield - gpm: Well water was - ft. after - hours pumping - gpm Bore Hole Diameter 8.625 in. to 15 ft., and - in. to - ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 <u>Monitoring well</u> Was a chemical/bacteriological sample submitted to Department? Yes - No X ; If yes, mo/day/yr sample was submitted - Water Well Disinfected? Yes - No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued - Clamped -
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 <u>PVC</u>	4 ABS	7 Fiberglass	Welded -
Blank casing diameter 2 in. to 5 ft., Dia - in. to - ft., Dia - in. to - ft.			Threaded X
Casing height above land surface 0 in., weight SC# 40 lbs./ft. Wall thickness or gauge No. -			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 <u>PVC</u>	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 <u>Mill slot</u>	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) -
SCREEN-PERFORATED INTERVALS:	From 5 ft. to 15 ft.	From - ft. to - ft.	
	From - ft. to - ft.	From - ft. to - ft.	
GRAVEL PACK INTERVALS:	From 7 ft. to 15 ft.	From - ft. to - ft.	
	From - ft. to - ft.	From - ft. to - ft.	

6 GROUT MATERIAL:	1 Neat cement	2 <u>Cement grout</u>	3 <u>Bentonite</u>	4 Other -
Grout Intervals:	From 0 ft. to 2 ft.	From 2 ft. to 4 ft.	From - ft. to - ft.	
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)

Direction from well?

How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	CONCRETE + FILL SAND			
1	3	CLAY SILT			
3	7	SILTY CLAY GRAY			
7	9	SILTY CLAY BROWN			
9	11	SANDY CLAY			
11	12	SAND			
12	15	SILTY CLAY			
TD	15				
		FLUSH MOUNT WEAVER			
		07-19-94 - DON TAYLOR			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 08-16-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 479 This Water Well Record was completed on (mo/day/yr) 08-06-94 under the business name of EBBERTS DRILLING by (signature) <i>Greg Eberts</i>
