


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: HARVEY		SE 1/4 NW 1/4 SE 1/4	17	T 23 S	R 1E EW
Distance and direction from nearest town or city street address of well if located within city? 301 N-MAIN NEWTON					

2 WATER WELL OWNER:		DLB MILL PLAZA	
RR#, St. Address, Box #		LLOYD T. SMITH 301 N-MAIN ST-NEWTON KS67114	
City, State, ZIP Code		Board of Agriculture, Division of Water Resources Application Number:	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: 17 ft. ELEVATION:			
	Depth(s) Groundwater Encountered 1. 11.4 ft. 2. 11.8 ft. 3. - ft.			
	WELL'S STATIC WATER LEVEL 8.16 ft. below land surface measured on mo/day/yr 08-22-94			
	Pump test data: Well water was - ft. after - hours pumping - gpm			
	Est. Yield - gpm: Well water was - ft. after - hours pumping - gpm			
Bore Hole Diameter 8.625 in. to 17 ft. and - in. to - ft.				
WELL WATER TO BE USED AS:		5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic		3 Feedlot	6 Oil field water supply	9 Dewatering
2 Irrigation		4 Industrial	7 Lawn and garden only	10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes - No - ; If yes, mo/day/yr sample was sub- mitted - Water Well Disinfected? Yes - No X				

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued - Clamped -
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded -
2 PVC	4 ABS	7 Fiberglass		Threaded X
Blank casing diameter 2 in. to 7 ft. Dia - in. to - ft. Dia - in. to - ft.		Casing height above land surface 0 in. weight SC40 lbs./ft. Wall thickness or gauge No. -		
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:		From 7 ft. to 17 ft.	From - ft. to - ft.	
SAND		From - ft. to - ft.	From - ft. to - ft.	
GRAVEL		From 6 ft. to 17 ft.	From - ft. to - ft.	
From - ft. to - ft.		From - ft. to - ft.	From - ft. to - ft.	

6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other -
Grout Intervals: From GL-0 ft. to 4 ft. From 4 ft. to 6 ft. From - ft. to - ft.					
What is the nearest source of possible contamination:					
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
Direction from well?			How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
GL-0	3	- CONCRETE + FILL SAND			
3	6	CLAY SILT			
6	9	SILTY CLAY			
9	17	SANDY CLAY			
TD	17				
FLUSH MOUNT WAITER					
07-19-94 - DON TAYLOR					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 08-15-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 479 This Water Well Record was completed on (mo/day/yr) 09-06-94 under the business name of EBBERTS DRILLING by (signature) <i>Angus Ebberts</i>	
---	--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Topeka, Kansas 66620-0001. Telephone: 913-296-5545 Send one to WATER WELL OWNER and retain one for your records.