MW-5 2	1111059	WATE	ER WELL RECOR	RD Form W	VC-5 KSA 82	la-1212		
LOCATION OF WAT	TER WELL:	Fraction			Section Numbe	r Township Number	Range Number	
County: Harve	. U	LSW 1/	4 SW 1/4	SW 1/4	13	1 33 s	R CW	
Distance and direction								
100 /	U. Mec	dian	Mewton					
WATER WELL OW	NER Gara	Dayids	ώn					
RR#, St. Address, Bo.						Board of Agricultu	ure, Division of Water Resources	
City, State, ZIP Code						Application Number:		
LOCATE WELL'S	TCIDH WITH	ead, KS	O TO DE	31		Application realis		
AN "X" IN SECTION	N BOX:	4 DEPTH OF	COMPLETED WE		#. ELEV 1	ATION:		
	4	, , ,				2	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
ī !!	!!!	WELL'S STATION	C WATER LEVEL	16.37	ft. below land s	urface measured on mo/da	iy/yr 6.7.1.14	
NW	NE	Pun	np test data: We	ll water was .	ft.	after hours	s pumping gpm	
	1	Est. Yield	gpm: We	ll water was .	ft.	after hours	s pumping gpm	
<u>.</u>		Bore Hole Diam	neter 8	in. to		, and	, .in. to \ldots	
* w	ı	WELL WATER	TO BE USED AS	: 5 Public	water supply	8 Air conditioning	11 Injection well	
7 1	1	1 Domestic	3 Feedlot	6 Oil fiel	d water supply	9 Dewatering	12 Other (Specify below)	
SW	SE	2 Irrigation	4 Industri					
	1 !						yes, mo/day/yr sample was sub	
<u> </u>		mitted	buotonologica oc	inpic odbiiiio		/ater Well Disinfected? Ye	· /	
TYPE OF BLANK	CARING HEED	Limited	5 Wrought iron	n 8 C	oncrete tile		Glued Clamped	
-J		·D/	5 Wrought iron					
1 Steel	3 RMP (S	ort)	6 Asbestos-Ce		ther (specify bel	•	Welded Fluck	
PVC	4 ABS		7 Fiberglass				Threaded HUSh	
Blank casing diameter		.in. to	ft., Dia .	402	n. to		in. to	
Casing height above I	arıd surface. ⊢	ra:01	in., weight			s./ft. Wall thickness or gaug	ge No I	
TYPE OF SCREEN O	R PERFORATIO	N MATERIAL:		(PVO	10 Asbestos-	cement	
1 Steel	3 Stainles	s steel	5 Fiberglass		RMP (SR)	11 Other (spe	ecify)	
2 Brass	4 Galvani	zed steel	6 Concrete tile		ABS	12 None used	d (open hole)	
SCREEN OR PERFO	RATION OPENIA	NGS ARE:	5	Gauzed wrapp	ed	8 Saw cut	11 None (open hole)	
1 Continuous sk	ot GN	Aill slot	6	Wire wrapped		9 Drilled holes		
2 Louvered shut	_	Key punched	. 7	Torch cut		10 Other (specify)	. ,	
SCREEN-PERFORAT			11 +	t to 2	t. Fr	rom	ft. toft.	
JOHLEH TEH SIVE							ft. toft.	
GRAVEI DA	CK INTERVALS						ft. toft.	
CHAVEETA	OK HATERVALO	From	•	t to	ft., Fi		ft. to ft.	
COOLT MATERIA	L: 1 Neat						11, 10	
6 GROUT MATERIA		cement	2 Cement grout	3			ft. to	
			ft., From					
What is the nearest s					14 Abandoned water well			
 Septic tank 		ral lines	7 Pit privy				15 Oil well/Gas well	
2 Sewer lines	5 Ces	s pool	8 Sewage lagoon		12 Fer	tilizer storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit			9 Feedyard		13 Ins	ecticide storage		
Direction from well?	NE				How n	nany feet? ~30		
FROM TO		LITHOLOGIC	LOG	FRO	M TO	PLUGGI	NG INTERVALS	
0.0 7.0	clay	very si	ILY					
7,0 11.0	clau		Ity, san	du				
11.0 17.0	clay	Very 5	117	~ 3				
	_) \			inad				
17.0 21.0	sand	# 11 16 -	med. gra	AV 184				
								
Allican + -		100100	Dog To	10010	n 4-2	7-011 Oba	t forms	
Allison Irv	AILT COU	Hached	Hon Tay	110x 1 0	14-7	1 44 4000	TUNIO	
being tu	anta in	, late.				l		
7 CONTRACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water	well was (1) co	onstructed (2) re	econstructed, or (3) plugged	d under my jurisdiction and was	
completed on (mo/day	y/year) . 🗗 🗇	2-44			and this re	cord is true to the best of r	ny knowledge and belief. Kansa:	
Water Well Contracto		.531	This V	Vater Well Reco	rd was complete	d on (mo/day/yr)8	~~	
under the business na	~ ~	SI			by (sig	nature) /	1 Vourin	