

WATER WELL RECORD Form WWC-5 KSA 82a-1212 German GW-16

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Linn		$\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$	12	T 23 S	R 24 E

Distance and direction from nearest town or city street address of well if located within city?
6350' W of Prescott

WATER WELL OWNER: Continental Coal
RR#, St. Address, Box #: 4550 W. 109th St., Ste. 206
City, State, ZIP Code: Leawood, KS. 66211
Board of Agriculture, Division of Water Resources
Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

NW	NE
SW	SE

DEPTH OF COMPLETED WELL: 57 ft. ELEVATION: 862

Depth(s) Groundwater Encountered: 1 None ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL: N/A ft. below land surface measured on mo/day/yr

Pump test data: Well water was N/A ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: 5 in. to 57 ft. and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well

WAS A CHEMICAL/BACTERIOLOGICAL SAMPLE SUBMITTED TO DEPARTMENT? Yes No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No X

TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)
		7 Fiberglass	

CASING JOINTS: Glued Clamped Welded Threaded

Blank casing diameter: 2 in. to 57 ft. Dia in. to ft. Dia in. to ft.

Casing height above land surface: 36 in. weight Schedule 40 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 47 ft. to 57 ft. From ft. to ft. From ft. to ft. From ft. to ft.

GRAVEL PACK INTERVALS: From 44 ft. to 57 ft. From ft. to ft. From ft. to ft. From ft. to ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout intervals: From 44 ft. to 0 ft. From 41 ft. to 44 ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	Clay			
10	18.5	Lt. tan clay/shale			
18.5	30	Lt. gray shale			
30	40	Lt. gray shale			
40	48.5	Lt. gray shale			
48.5	50.7	Coal			
50.7	53	Under clay			
53	57	Limestone			

RECEIVED

BUREAU OF WATER

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-19-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 545 This Water Well Record was completed on (mo/day/yr) under the business name of Glaze Drilling by (signature) *Glaze Drilling*

INSTRUCTIONS: Use typewriter or ball point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.