

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Linn		NE 1/4 NE 1/4 SE 1/4	4	T 23 S	R 25 E
Distance and direction from nearest town or city street address of well if located within city? 10,800' ENE of Prescott					
2 WATER WELL OWNER:		Continental Coal			
RR#, St. Address, Box # :		4550 W. 109th St., Ste. 206			
City, State, ZIP Code		Leawood, KS. 66211			
		Board of Agriculture, Division of Water Resources			
		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 62' ft. ELEVATION: 878			
		Depth(s) Groundwater Encountered 1. None ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL N/A ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was N/A ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 5" in. to 62 ft. and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded X			
Blank casing diameter 2 in. to 62 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface 36 in. weight Schedule 40 lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 6 Wire wrapped 9 Drilled holes 10 Other (specify)					
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From 47 ft. to 61 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 40 ft. to 61 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 38 ft. to 0 ft. From 38 ft. to 40 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit		13 Insecticide storage			
Direction from well? West Southwest		How many feet? 12,100			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Soil			
3	21	Clay			
21	50.5	Shale			
50.5	52.5	Coal			
52.5	57	Shale			
57	62	Lime			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-28-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 545 This Water Well Record was completed on (mo/day/yr) 5-29-96 under the business name of Glaze Drilling by (signature) <i>Lulu Taylor for Alva S. Glaze</i>					