				ÆR WELL RECORD	Form WW	C-5 KSA 82	a-1212			
	ION OF WA		Fraction	N= 1/		Section Number		Number	Range Number	
Distance	BUTH and direction	from nearest to	wn or city street	address of well if locate	W 1/4		\perp τ σ .	<u>s</u> ک	R 3 E DW	
Distance and direction from nearest town or city street address of well if located within city? 555 M REGIENC										
2 WATER WELL OWNER: Judy Stark										
RR#, St. Address, Box # : 555 N. Regier Board of Agriculture, Division of Water Resources										
	e, ZIP Code		ing, Kans					tion Number:	Division of water resources	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 70' # ELEVATION STORE										
AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered 160										
WELL'S STATIC WATER LEVEL . \$\frac{1}{2}\sum_{\text{out}} ft_below land surface measured on mo/day/yr \ldots 9-29-88										
Ĭ	Pump test data: Well water was 30 ft after 2 hours numping 40 gpr									
	Fet Vield 30 gpm; Well water was ft after hours numping gpm									
<u>.</u>	1 Bore Hole Diameter 9 in to 70 ft and in to									
A: ie	W								Injection well	
ī	SW		1 Domesti	c 3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify below)	
	1	;	2 Irrigation							
1		ı	Was a chemica	al/bacteriological sample :	submitted to				, mo/day/yr sample was sub-	
<u>-</u>		<u> </u>	mitted				ater Well Disinfe			
_		CASING USED:		5 Wrought iron		ncrete tile			d .X Clamped	
1 S (2XTP		3 RMP (S	H)	6 Asbestos-Cement	9 Oth	er (specify belo	w)		led	
Plank on	VU ina diameter	4 ABS	: Te	7 Fiberglass					aded	
Blank casing diameter 5. in. to ft., Dia in. to ft. Casing height above land surface from the surface in., weight 2.29 lbs./ft. Wall thickness or gauge No										
Type of screen or perforation material:										
1 S		3 Stainles		5 Fiberglass		RMP (SR)) ,	
2 Brass 4 Galvanized steel 6 Concrete									pen hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauze							Saw cut	, ,	11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									,,	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
e CBOL	T MATERIAL	. 	From	ft. to		ft., Fro				
GROUT MATERIAL: Theat cement 2 Cement grout 3 Bentonite 4 Other										
				₹ II., FIOIII					bandoned water well	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines				7 Pit privy		10 Livestock pens 11 Fuel storage				
	ewer lines	5 Cess		8 Sewage lag			lizer storage		Other (specify below)	
		er lines 6 Seep	•	9 Feedyard	0011	13 Insecticide storage			CREEK	
	from well?						any feet?			
FROM	ТО		LITHOLOGI	C LOG	FROM			PLUGGING I	NTERVALS	
0	50	CLAY	/							
50	68	JOSE C		SOME SAM)					
68	20	BACK	SHAND							
	-									
			11.1.	·						
					· ·					
	<u> </u>							***		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖟 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed on (mo/day/year) 9-29-88										
Water We	ell Contractor	's License No	36.2	This Water W	ell Record	was completed	on (mo/day/yr)	,[0]	-40100-4	
		me of Mart				by (signa	11-0	SHATA	AMINIO	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct and ergo send top three copies to Kansas Department										

Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.