WATER WELL RECORD		Form W	WC-5	Division of W	ater Resources App. No	0.
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number
County: But er		Se1/45e1/4 N	1/4 1/4	1'/	т 3,3 ѕ_	
Street/Rural Address of Well Location; if unknown, distance & direction					ng System (GPS) in	
from nearest town or intersection: If at owner's address, check here			Latitude: (in decimal degrees)			
			Longitude: (in decimal degrees) Elevation:			
				Elevation:	8 84, □ NAD 83, □	 NAD 27
2 WATER WELL OWNER: Steve Clark				Collection Method		NAD 27
2 WATER WELL OWNER: Steve Clark RR#, Street Address, Box #: 307 N. Main			GPS unit (Make/Model:)			
City, State, ZIP Code : Elbing, #5,67041			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL	_EIDI	19 185, 61	1710	Est. Accuracy:] <3 m, ∐ 3-5 m, ∐	5-15 m, <u></u> >15 m
	DEPTH OF (COMPLETED WELL	1. 80) G	ft	
SECTION BOX:	Depth(s) Ground	lwater Encountered	(1). OF	ft. (2)	ft. (3) ft.
N V	N WELL'S STATIC WATER LEVEL. 30ft. below land surface measured on mo/day/yr 10					
Pump test data: Well water wasft. after hours pumping						
NWNE E	gpm. Well water	ft. after	ft. after hours pumping gpm			
$ \mathbf{w} $ $ \mathbf{a} $ $ \mathbf{E} $ B	terft., and					
	TO BE USED AS: Public water supply Geothermal Injection well					
						Other (Specify below)
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS:						
Casing diameter						
TYPE OF SCREEN OR PE	REORATION	MATERIAL		105./1t., wan t	mexicss of gauge iv	U. }
Steel Stainless Steel TVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From 2.0 ft. to ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Septic tank						
Watertight sewer line		Fertilizer st		gas well		
Direction from well		**************************************		from well 2.01		
FROM TO	LITHOLOG		FROM	TO LITHO.	LOG (cont.) or PLU	JGGING INTERVALS
0 55 Yell	ow Clay	12 mixed C	lax			
						· · · · · · · · · · · · · · · · · · ·
55 08 BIVE	e Sha	10				
60000	V 1 5 1 7	7) / / - //	1 7 2 1			
08 70 Crvm	1 bied ?	Shales W	acer			
00 00 000	. COLO					DIRECTOR AND THE CONTRACTOR OF
10 00 G + ac	y Sha					
						WITH THE PROPERTY OF THE PARTY

7 CONTRACTOR'S OR I	ANDOWNER	2'S CERTIFICATIO	N: This water	er well was Z-con	structed Treconstr	nicted or nlugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, are plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No						
under the business name of Sackhus. Miling by (signature) Saukhus Backhus						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PNINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						