WATER WELL R			WWC-5		sion of Water					
	tinal Record Correction Change in Well Use			Resources App. No.  Section Number			Well ID	aa Numbar		
1 LOCATION OF WATER WELL: Fraction NW 14 N			Section Number   Township Number   Range Number   T 23 S   R 4 E D W							
2 WELL OWNER: L	Street or Rural Address where well is located (if unknown, distance and									
Business: FISHERS HEATHL & AVR.				direction from nearest town or intersection): If at owner's address, check here:						
l				4898 N.W. SANTA & LAKERD,						
City: ELBING		State: K	ZIP: 67114	Egny VS.						
3 LOCATE WELL	4 DEPTH	I OF COM	IPLETED WELL:	200 ft.	5 Latitud	le:		(decimal degrees)		
WITH "X" IN SECTION BOX:	Depth(s) G	roundwater l	Encountered: 1)	ft. Longitude:(decimal degrees)						
N N			3) ft., or 4) TER LEVEL:		1	☐ WGS 84 ☐ NA		AD 27		
	below land surface, measured or					Source for Latitude/Longitude:  GPS (unit make/model:)				
- X <sub>IW</sub> NE		above land surface, measured on (mo-day-yr)				(WAAS enabled?				
	Pump test data: Well water was				☐ Land Survey ☐ Topographic Map					
W E	after hours pumping				Online Mapper:			•••••		
SW SE	after hours pumping									
	Estimated Yield:				ft and   6 Elevation:					
S  1 mile	Bore Hole Diameter:4574. in. to									
7 WELL WATER TO BE USED AS:										
1. Domestic:										
Household	<del>-</del>									
Livestock					12. Geothermal: how many bores?					
2. Irrigation	Irrigation 9. Environmental Remediation: well				a) Closed Loop					
3. Feedlot Air Sparge Soil Vapo				r Extraction	b) Open Loop Surface Discharge Inj. of Water I3. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:										
8 TYPE OF CASING USED: Steel PVC Other Part CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface										
Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:  Continuous Slot    Gauze Wrapped    Torch Cut    Other (Specify)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage										
Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well         □ Watertight Sewer Lines       □ Seepage Pit       □ Feedyard       □ Fertilizer Storage       □ Oil Well/Gas Well										
Other (Specify)										
Direction from well?	well?				C DITERUAL C					
10 FROM TO	CLAY	LITHOLOG	GIC LOG	FROM	TO I	LITHO. LOG (cont.) o	r PLUGGIN	JINIERVALS		
0 60 200	SHALL/C	LAM								
	311111				****					
		****		,						
			V. 10 (	Notes:						
AL CONTRACTION OF LANDOUNIERIS GERMANICATION TIL										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
Kansas Water Well Con	ntractor's Lic	ense No.	This V	Vater Well Rec	ord was com	pleted on (mo-day-y	ear)			
under the business name of tastance 650 Million to Williams										
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.										
Visit us at http://www.kd				KSA 82a-1				ed 9/10/2012		