-			•	WELL RECORD	Form W	WC-5 K	(SA 82a-1	1212				
1 LOCATI	Paralle	TER WELL:	Fraction	su) c	•	Section N	Number		vnship Number	1	ange Nu	_
		from nearest town of			ated within			T	24 s	<u>l</u> R		Ūw
105.			•			, .						
2 WATE	n & Bro R WELL OW	oadway, Sed 'NER: Dan Fou	l gwick, K									
RR#, St. /	Address, Bo	(# : 125th L1						В	oard of Agricult	ure, Division	of Wate	r Resources
City, State	, ZIP Code	Sedow	ick, Ks.					Α	pplication Numb	per:		
LOCATI	E WELL'S L	OCATION WITH 4 N BOX:		MPLETED WELL ter Encountered								
- r	<u> </u>			ATER LEVEL								
1	i	; ""		est data: Well w								
-	NW	NE Fe		gpm; "Well w								
<u>'</u>		l Bo	re Hole Diamete	r 6.8 in.	12/2	4	ft ar	or nd		in to		ft
* w -	<u> </u>		ELL WATER TO		=	water sup			nditioning	11 Injection		
-	i	i '''	1 Domestic	3 Feedlot		d water su			-	(12) Other (5		oelow)
-	· - SW	SE	2 Irrigation	4 Industrial			· · ·		oring well MAR			- 4 /\ '
ا ا	3	. wa	-	cteriological samp		-	-					•
1			ted			•			Disinfected? Ye		(No)	
5 TYPE (OF BLANK (ASING USED:	5	Wrought iron	8 0	oncrete tile		CAS	SING JOINTS:	Glued		ed
 1 Ste	eel	3 RMP (SR)	ϵ	Asbestos-Ceme	ent 9 C	ther (speci	ify below))	,	Welded		
2 PV		4 ABS		Fiberglass						Threaded	· x · · · ·	
Blank casi	ing diameter	2.375 in.,	to 8 6	ft., Dia		n. to		ft., D	ia	in. to §	SDR -1	[.3 ft.
Casing he	ight above la	and surface F.WW	M.M in	., weight						-		_
		R PERFORATION M				Z PVC			10 Asbestos-	_		
1 Ste	eel	3 Stainless ste	eel 5	Fiberglass		B RMP (SF	₹)		11 Other (spe	ecify)		
2 Bra	ass	4 Galvanized	steel 6	Concrete tile		9 ABS			12 None used	d (open hole)	
SCREEN (OR PERFOR	RATION OPENINGS	ARE:	5 Ga	auzed wrapp	ed		8 Saw	cut	11 N o	ne (oper	n hołe)
1 Co	ontinuous slo	t 3 Mill s	lot	6 W	ire wrapped			9 Drille	ed holes			
2 Lo	uvered shutt	er 4 Key p	ounched	//a' 7 To	orch cut)		10 Othe	r (specify)	. <i></i>		
SCREEN-	PERFORATI	ED INTERVALS:										
			From	ft. to	1.1.11.11		.ft., From	1		ft. to		ft.
C	GRAVEL PA	CK INTERVALS:	From 18.7	2 ft. to	o. 6/2.		.ft., From					
1			From	ft. to			ft., From			ft. to		
6 GROUT	Γ MATERIAL	: 1 Neat cem	ent 2 / (2)	Cement grout	a, 3	_	. •					
Grout Inter	rvals: Froi	m 6. 4. st.	to . 3 .	ft., From :	ر م				From			
				7 Pit privy	(3)		0 Livesto	•		14 Abandone		well
1 Septic tank 4 Lateral li				11) Fuel storag			•					
2 Sewer lines 5 Cess po			lagoon				,					
		er lines 6 Seepage	pit	9 Feedyard	j		3 Insection		<u> </u>			
FROM	rom well?	outhwest	LITHOLOGIC LC	nc .	FRO		low many	y teet?		NG INTERV	AI S	
0	1	Gravel-ls				1	<u> </u>		1200011	10 111121117	120	
1	10	Red brn c			a							
	1 10	low plact:	iaitu na	I-STILL,	ary,							
		low plast: some fine										
		few qtz.		nea sana	-W/							
10	14	Red brn c		d-gandy	C1 av							******************
		tight, mo										
		fine-coars										
14	18.50				ndv al	257						
	10.50	w/ brn cla				ay					-	
		dry-moist			-		1	5.4	OKA by	10m7	TULA	1)
		dry morse,	<u></u>	IIO Odor.					Y'M NY		7-	
7 CONTE	ACTOR'S	OR LANDOWNER'S	CERTIFICATION	J. This water wel	was (1)[66	nstructed	(2) recon	etructed	or (3) plugged	l under my i	urisdictic	on and was
		year) . /-25.							to the best of m			
Water Wel	Contractor	s License No	520								and Del	ioi. Nailodo
under the	business na			al Drilli			y (signatu	ire)	ames Bu	bon		
		pewriter or ball point pen.									Kanear Dr	nartment
of Healt	h and Environm	ent, Bureau of Water, Top	eka, Kansas 66620-00	001. Telephone: 913-2	96-5545. Send	one to WATER	WELL OWN	NER and r	etain one for your re	ecords.	ansus De	parenent