		WATER WELL	L RECORD	Form	n WW	C-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL:		FRACTION			SECTION NUMBER		1 .		RANGE NUMBER	
Harvey Distance and direction from	city e			SW 1/4	<u>·</u>	33	T 24	s	R 1E	E/W
	•	side of 125th N.	•	ita, Kans	S 2S					
2 WATER WELL OWNER: HALE, Gary										
RR#,ST. ADDRESS,I	S,BOX #: 500 S.E. 125th N. Board of Agriculture, Division of Water Resource									later Resource
CITY, S		wick, Kansas				CODE:		Application Num	nber:	
3 LOCATE WELL'S LOC WITH AN "X" IN SECT	CATION 4 D	DEPTH OF COMPLET	red well:	65	ft.		ELEVATION:			
N N	Dept	oth of groundwater End		_	ft.			ft.		ft.
	WE	ELL'S STATIC WATER				V LAND SU	RFACE MEASUF		,,	
NW	-NE	•		ell water wa			ft. after ft. after		s of pumping @	gpm
w N	E Bo	Est. Yieid: ore Hole Diameter	gpm We 12 in.	ell water wa	as to 65	5 ft.	π. aπer and	nours in,	s of pumping @ to	gpm ft.
= "	1 1	ELL WATER TO BE US	JSED AS:					9 Newsteri		ction well
sw	1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)									
		-				8. Air cond		10. Monitorin	<mark>ng well</mark> what mo/day/yr w	rce eamnle
s		/as a chemical/bacteriolog bmitted	gical sample submitte	ed to Depart	ment?	YES Was W	NO / ater Well Disinfe			vas sampie NO
5 TYPE OF CASING LISED: CASING LOINTS. Clied Threaded										
1. Steel 3. RPM (SR) Welded Clamped										
2. PVC	4. ABS	6. Asbestos-Cei				P-26				
Blank casing diameter	r 5 i	in. to 30	ft., Dia		in. –	to	ft., D	Dia.	in. to	ft.
Casing height above to		24 in.,	Weight	t: 2.3 5	5 lbs	s. / ft.	Wall thic	ckness or gaug	ge No214	
TYPE OF SCREEN OF			7 PVC	_	0.48		11 Oth	or (enecify)		
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)										
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)										
2. Louvered shutter		_	••	•				(specny)		
SCREEN - PERFORAT	FION INTERVAL		30 ft.			ft.,	From	ft.	to	ft.
	·	From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PAU	CK INTERVALS:	110	24 ft.			ft.,	From	ft.	to	ft.
1		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATERIA	4	_				Bentonite			tonite hole plu	•
Grout Intervals: What is the nearest sou	From 4	· · · · · · -	24 ft., Fr	rom	ft.	to	ft.,	From	ft. to	ft.
1. Septic tank	urce of possible coll 4. Lateral l	7 D#	t privy	10. Li	vestock	pens	13. Insectio	ide storage	15. Oil well/G	as well
2. Sewer lines	5. Cess Po	ool 8. Se	ewage lagoon	11. Fu	uel stora	1ge	14. Abando	on water well	16. Other (spe	ecify below)
3. Watertight sewer		ge pit 9. Fer	ed yard	12. F €	ertilizer s	storage				
Direction from well?	Southeast						How man	ny feet? 80		
From To		<u>LITHOLOGIC L</u>	.OG	F	rom	То		LITHOLC	OGIC LOG	
	topsoil			+						
	clay fine sandy clay			—						
	grav shale	<i>y</i>	,							
					-+	+				
 			·							
				$-\!\!\!\!+$		\longrightarrow				
ļ -				$-\!\!\!\!+$	-+					-
 				-	-+	$\overline{}$				
				工						
7 Contractor's or La	andowner's Certifica	cation: This water well	was 1. constr	ucted	2. rec	onstructed	or 3. p	lugged	under my jurisdicti	ion and
was completed on (r		12/03/2003					knowledge and be		• •	
Kansas Water Well (• • •					· ·	on (mo/day/year)		5/2003	
				tel Meli leo		•	. ,,			
under the business name of Harp Well & Pump Service Inc. by (signature) $\int_0^\infty dd S$. $\mathcal{H}_{a p}$										