		WATER WE	ELL RECOR	D Fo	rm WW	C-5 K	SA 82a-121	2		
1 LOCATION OF WAT	ER WELL:	FRACTION	CXX	~=	1	ION NUMBER	1		RANGE NU	
Harvey		SW 1/4	SW 1/4		1/4	4	T 24	S	R 1E	E/W
Distance and direction from nearest town or city street address of well if located within city? 125th N. & Hydraulic, 1 mile North ,1/2 mile West on North side Valley Center, Kansas										
			mie west on	North Si	iae		valley C	enter, Kans	as	
2 WATER WELL RR#.ST. ADDRES		S, Chris 4 SE 96th						Board of Agric	culture, Division of W	ater Resource
		ley Center, Kar	1898		715	CODE:		Application Num	hor	
_				60	ft.	CODE:	ELEVATION:	Application Num	Dei.	
3 LOCATE WELL'S WITH AN "X" IN SI	ECTION BOX:	DEPTH OF COMPL		00			ELEVATION.	4		
l		epth of groundwater		15 -	ft.			ft.		ft.
		ELL'S STATIC WA				W LAND SU	JRFACE MEASU			
NW	NE			Well water			ft. after		of pumping @	gpm
w Wile	. L. I.	Est. Yield:	gpm 12 in.	Well water			ft. after		of pumping @	gpm
≥ w	'	Bore Hole Diameter	****		to 6	U ft.	and	in.	to	ft.
sw		/ELL WATER TO BE 1. Domestic 3. I	E USED AS: Feedlot 5. P	ublic water	r supply 9	7. Lawn a	ınd garden only	> ^{9. Dewaterir}	'8	ction well
				il field wat				10. Monitorin	12. Other (Sp g well	ecity below;
		Was a chemical/bacteri				YES	NO		vhat mo/day/yr v	as sample
		ubmitted					Vater Well Disinf	ected?	YES I	10
5 TYPE OF CA	ASING USED:	5. Wrought I	ron 7 Fi	berglass	9. Otl	her (Specify	below) CAS	ING JOINTS: (Glued	Threaded
1. Steel	3. RPM (S	SR)		•	SDR	2-26			Welded	Clamped
2. PVC	4. ABS	6. Asbestos	-Cement 8. Co	oncrete tile	ODI	C-20				
Blank casing diame	eter 5	in. to 3	35 ft.,	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height abo	ve land surface:	24 in.,	We	ight: 2.	.35 lb	s. / ft.	Wall thi	ckness or gaug	e No214	
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1. Steel	3. Stainless Steel	Fiberglass	7. PV	\odot	9. AE	3S	11. Oth	er (specify)		
2. Brass	4. Galvanized	Concrete Ti	le 8. RM	IP (SR)	10. As	sbestos-Cer	ment 12. No	ne used (open i	hole)	
SCREEN OR PERFORATION OPENINGS ARE:										
1. Continuous sl	ot 3. Mill s	slot 5. G	auzed wrapped		7. Tor	ch cut	9. Drille	ed holes	11. None (c	pen hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)										
		puliched 0. V						, (opcomy)		
SCREEN - PERFOR	RATION INTERVAL	From	35 ft.	to	60	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL P	ACK INTERVALS:	From	24 ft.	to	60	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATE	RIALS: 1 Neat	t cement	2. Cement Gre	out	3	Bentonite		Other bent	onite hole plu	10
Grout Intervals:	From 4	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. to	^6 ft.
What is the nearest		contamination:	,				н.,	FIOIII		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage							15. Oil well/0			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below									ecify below)	
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage										
Direction from well							How ma	ny feet? 55		
From To		LITHOLOGIC	LOG		From	То		LITHOLO	GIC LOG	
0 3	topsoil									
3 10	clay									
10 55	fine sand/sar	ndstone								
55 60	gray shale			-						
										
7 Contractor's o	r Landowner's Certif	fication: This water	well was 1. Cor	structed	2. red	constructed	d or 3.	plugged	under my jurisdic	tion and
was completed of	n (mo/day/year)	5/17/2006	and th	is record is	true to the	best of my	knowledge and b	elief.		
Kansas Water W	ell Contractor's Licer	nse No. 23	36 This	water well	record was	s completed	d on (mo/day/yea	r) 5/19	/2006	
under the business name of Harp Well & Pump Service Inc. by (signature) $\int_0^\infty dd \mathcal{S}$. $\mathcal{A}_{r\rho}$										