3 TOCATION OF WATER WELL:	FRACTION					Section Number	Township Number	Range Number	r	
Harvey	NW 1/4	NW	1/4	NW 1	1/4	4	_T 24 s	, 1E	E/W	
Distance and direction frem nearest town or city stree							1 3		E/W	
601 SE 36th St. Newton, Kansas										
2 WATER WELL OWNER: BELLEMEAD CONSTRUCTION CORP.										
	ker Farm						Board of Agriculture,	Divivsion of Water Resource	ce	
CITY, STATE, ZIP CODE: Rosela						Application Numi	Application Number:			
3 LOCATE WELL'S LOCATION WITH 4 1	DEPTH OF COM			80			VATION:			
AN "V" IN SECTION DOV.	epth(s) groundwa			1		ft.	2 ft.	3	ft.	
A K-7	LL'S STATIC W.			5.5	FT. B	ELOW LAND SUR	RFACE MEASURED ON mo/day/yr	11/18/19		
NW NE	Pump test			water was	S	ft. a	after hours pur		gpm	
Est.	Yield	gpm:		water wa			after hours pu		gpm	
E Bore	Hole Diameter	12	in.	to 80)	ft.	and in.		ft.	
€ " [~]WEI	LL WATER TO E		AS:	5 Public v		_		Injection well		
	1 Domestic	3 Feedle	ot	6 Oil field	d wate:		9	Other (Specify below	w)	
sw sw	2 Irrigation	4 Indust	trial	7 Lawn a	nd gar	den only 1	0 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample wa							as			
S submitted Water Well Disinfected? Yes X No										
5 : TYPE OF CASING USED:		5 Wrot	ı ght iron		8 C	Concrete tile	CASING JOINTS:	Glued X Clamped		
3 RMP (SR)						ther (Specify be				
EPVC 4ABS		7 Fibers	glass			R-26	,	Threaded		
Bloom casing Diameter 5 in.	to 24	ft.,	Dia		in.	to	ft., Dia in.	to ft.		
Castag height above land surface 12	in.,	,	weight 2	2.35			Wall thickness or gauge No.	.214		
TYCE OF SCREEN OR PERFORATION					7 P	PVC	10 Asbestos-cen			
1 Steel 3 Stainless Steel			5 Fiberglass 8 RMP (SR)				11 other (specify)			
2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS			BS	12 None used (open hole)			
SCREEN OR PERFORATION OPENING	G ARE:		5 Gau	zed wrapp	oed		8 Saw cut 11 None (open hole)			
1 Continous slot 3 Mill slot			6 Wire wrapped				9 Drilled holes			
2 Louvered shutter 4 Key punche	ed		7 Torc				10 Other (specify)			
SCREEN-PERFORATION INTERVALS:	: from 24			. to 80		ft., From	ft. to		ft.	
from			ft. to			ft., From			ft.	
GRAVEL PACK INTERVALS: from 24			ft. to 80			ft., From			ft.	
from			ft. to			ft., From			ft.	
6 GROUT MATERIAL: 1 Neat cemer		ement gro	out	3	Bento		4 Other			
Grout Intervals: From ft.	to	ft. F	rom		ft. to	•	ft, From	ft. to	ft.	
What is the nearest source of possible contamination:						10 Livestoo	•	14 Abandon water well		
1 Septic tank 4 Lateral lines		7 P	7 Pit privy			11 Fuel sto	orage 15	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Se	8 Sewage lagoon			12 Fertiliz	ter storage 16	16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pi		9 Fc	eedyard			13 Insection	cide storage Non	e Apparent	:	
Divertion from well?							How many feet?	• •		
	IOLOGIC LOG			FRO)M	TO	PLUGGING INT	ERVALS		
0 4 topsoil										
4 10 clay										
10 20 fine sand										
20 22 clay										
22 37 medium fin	e sand						./\.			
37 80 shale										
			, , , , , , , , , , , , , , , , , , , ,							
7 CONTRACTOR'S OR LANDOWNER'S CE	RTIFICATION: Thi	s water w	vell was	(1) const	ructed	. (2) reconstru	icted, or (3) plugged under	my jurisdiction and	d	
was completed on (mo/day/year)	11/10/	1005	on mao ((., 50	4000	, (2) 1000110114	lotou, or (o) plugged under	my junioustion uni	~	
		T332		. and this	reco	rd is true to the	e best of my knowledge and	i belief. Kansas W	Vater	
Well Contractor's License No2.3 Under the business name of	36·	This Wate	er Well R	Record wa	as con	npleted on (mo	o/day/yr)11./.2	d belief. Kansas W 1./95	Vater	

Jane Frederick