WATEI	R WEL	L RECORD	Form W	WC-5	Div	vision of Wate	r Resources App. No	0.	
1 LOC	ATION	OF WATER WELL:	Fraction		Sectio	n Number	Township No.	Range Number	
Street	ty: 🚜	ddress of Well Location:	funknovyn dietance &	direction	Global		T 24 S System (CPS) in	R / E W	
County: Harvey 1/4 NE/4 SE 1/4 NE  Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information:  Latitude:				
114 mis of sw 60th on 5 Kansas Ad					Longitude: (in decimal degrees)				
					Elevation:				
2 WATER WELL OWNER: Paul Dubois					Datum: WGS 84, NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 6520 5 Kausas Ro					GPS unit (Make/Model:)				
City State ZID Code					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Est. Accuracy: 3 m, 3-5 m, 5-15 m									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 70 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr 19.7.7.0								
	Pump test data: Well water was								
NW	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameterft. andin. toft.								
w	W								
SX	-SW -   -SE -     Domestic								
i	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
<u> </u>	Was a chemical/bacteriological sample submitted to Department?  Yes No								
	S If yes, mo/day/yr sample was submitted								
water went distincted: [K] 1 es									
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
SCICLE			From f	t. to		. ft., From	ft.	to ft.	
	GRAV	EL PACK INTERVALS:	From. 20	ft. to	3	ft., From	ft.	to ft.	
								to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
what is the hearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Cother (specify below)									
	Sewer lir	nes	Sewage lagoon [	Fuel storage Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well  Direction from well  Distance from well									
FROM	TO	LITHOLOG		FROM	TO			JGGING INTERVALS	
0	5	Gr Clay							
.5-	26	Br + Gr Clay							
26	38		nd + Er Clay						
38	43	Shale							
								- A - A - A - A - A - A - A - A - A - A	
		Miles to the Miles to the second of the seco							
		MARKET WARRANT CO.				<del></del>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged									
under my jurisdiction and was completed on (mo/day/year) (2.7.7.2 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
under the business name of									
(white bloom	JTIONS: ie. pink) t	Use typewriter or ball point pen o Kansas Department of Health	and Environment Rureau	and <u>PRINT</u> cle of Water Geol	early. Plea	ase fill in blank on, 1000 SW 1	s and check the correct	ct answers. Send three copies Topeka, Kansas 66612-1367	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									