		WATE	R WELL RECORD	Form WWC-5	KSA 82a	-1212			
•	OF WATER WELL:	Fraction			tion Number	Township Nur	mber	Range Number	
County:	Harvey	SE 1/4	5E 1/4 /	E 1/4	<u> 3 o </u>	T 24	S	R / <b>€</b> W	
Distance and d	lirection from nearest t		1	_					
	3 (	2 mi E	= , 2 No	+ Sedy	wick				
WATER WE	ELL OWNER:	ern Henr	y ·	v					
RR#, St. Addre	ess, Box # : 6	14 N Mai	'n			Board of Ag	riculture, D	ivision of Water Resources	
City, State, ZIF	Code : 🔥	rewton, K.	5 67114		Application Number:				
LOCATE WE	ELL'S LOCATION WIT	H 4 DEPTH OF C	OMPLETED WELL.	. <i>6</i> . <i>1</i>	ft. ELEVA	TION:			
AN "X" IN S	ECTION BOX:	Depth(s) Ground	water Encountered	1	ft. 2	2	ft. 3.		
ī		WELL'S STATIC	WATER LEVEL	. <b>2</b> 4 ft. b	elow land sur	face measured on r	mo/day/yr	9-16-94	
l I .		Pump	test data: Well wat	ter was5	<b>5.</b> ft. a	fter <b>/</b>	hours pur	nping gpm	
N	W   NE	Est. Yield	gpm: Well wat	ter was	ft. a	fter	hours pur	nping gpm	
•	ابرنا	Bore Hole Diame	eter <b>9</b> in. to			and <b>5</b>	in.	toft.	
* w	1	WELL WATER T	O BE USED AS:	5 Public water	r supply	8 Air conditioning		njection well	
-   -	1 1	Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 (	Other (Specify below)	
	W   3t	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well .	,		
1 1		Was a chemical/t	bacteriological sample	submitted to De	epartment? Ye	esNo	?; If yes,	mo/day/yr sample was sub-	
	Ş	mitted			Wa	ter Well Disinfected	? Yes X	No No	
TYPE OF B	LANK CASING USED	:	5 Wrought iron	8 Concre	ete tile	CASING JOIN	ITS: Glued	t Clamped	
1 Steel	3 RMP (	(SR)	6 Asbestos-Cement	9 Other	(specify below	v)	Welde	d	
<b>€</b> >PVC	4 ABS		7 Fiberglass					ded	
Blank casing d	iameter <b>. 6</b>	in. to 3.8.	ft., Dia	in. to		ft., Dia	i	n. to ft.	
Casing height a	above land surface	.12	.in., weight 3	37	lbs./	ft. Wall thickness or	gauge No	1.6.0	
TYPE OF SCR	EEN OR PERFORATI	ON MATERIAL:		<b>⊅</b> PV	С	10 Asbe	stos-ceme	nt	
1 Steel 3 Stainless steel			5 Fiberglass		IP (SR)	11 Other	11 Other (specify)		
2 Brass	4 Galvar	nized steel	6 Concrete tile	9 AB	S	12 None	used (ope	en hole)	
SCREEN OR F	PERFORATION OPEN	INGS ARE:	5 <b>Gau</b>	zed wrapped		8 Saw cut		11 None (open hole)	
1 Continu	ious slot 3	Mill slot	6 Wire	wrapped		9 Drilled holes			
2 Louver	ed shutter 4	Key punched	7 Toro						
SCREEN-PERI	FORATED INTERVALS							)	
								)	
GRA	/EL PACK INTERVAL	S: From	. ft. to .	48.	ft., Fro	m	ft. to	)	
		From				m	ft. to	ft.	
GROUT MA			2 Cement grout						
Grout Intervals	: From	کر. ft. to	ft., From	ft.	to	ft., From	• • • • • • •	. ft. to	
_	arest source of possib	le contamination:			10 Lives	tock pens		andoned water well	
Septic		teral lines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
3 Waterti	ght sewer lines 6 Se	epage pit	9 Feedyard			ticide storage			
Direction from					How ma			ITERVALS	
	TO .	LITHOLOGIC	LOG	FROM	ТО	PLC	JGGING IN	TERVALS	
	23 Br C	,							
	38 F 50	nd + clay	_5:/+						
		nd							
46	ol Gr St	ha/e							
					ł				
T					l			year or the same and the same a	
		ER'S CERTIFICATI	ON: This water well	was @Constru	cted, (2) reco	enstructed, or (3) plu	ugged und	er my jurisdiction and was	
		-16-94						wledge and belief. Kansas	
Water Well Co	ntractor's License No.		This Water	Well Record wa	s completed	on (mo/day/yr)	9-18-	: .9.4	
under the busin	ness name of	Miller Dr	illing		by (signa	ture) Lu	relles		
	IS: Use typewriter or ball poi Environment, Bureau of Wat							copies to Kansas Department	