

1 LOCATION OF WATER WELL: Fraction		Section Number		Township Number		Range Number	
County: Greenwood NE 1/4 NE 1/4 NE 1/4		6		T 24 S		R 13 E	
Distance and direction from nearest town or city street address of well if located within city? 1 mile Northwest of Virgil, KS							
2 WATER WELL OWNER: Koch Transportation				Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: 4111 East 37th St. N				Application Number:			
City, State, ZIP Code: Wichita KS 67220							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION:					
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 7 1/4 in. to 30 ft., and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped					
1 Steel 3 RMP (SR)		Welded					
2 PVC 4 ABS		Threaded X					
Blank casing diameter 2 in. to 15 ft., Dia		in. to ft., Dia					
Casing height above land surface 32 in., weight Sched 40		lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 30 ft. to 15 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 30 ft. to 14 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From 10 ft. to 0 ft., From 14 ft. to 10 ft., From ft. to ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? SE		How many feet? 40'					
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 5 Top Soil							
5 10 Dark Brown Silty Clay							
10 12 Light Brown Silty Clay							
12 15 Light Brown Moist Silty Clay							
15 20 Light Brown Silty Clay							
20 25 Silty Clay light Brown							
25 30' Brown Silty Sand Clay w/ gravel							
		Saturated at 23.0					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-22-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 575 This Water Well Record was completed on (mo/day/yr) 6-6-95 under the business name of Kutz Endicott Mechanical Service by (signature) [Signature]							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							