SCFS-	1004	,	WATER WELL RECO	DDD Eorm l	WC-5	KSA 82	Do-1010		SB	-6
LOCATION OF WA	ATER WELL:	Fracti		1/4		ion Numbe		p/Number	Range N	umber_
ounty: PRCCALL		\mathcal{N}	E 1/4 NW 1/4	NO 1/4		8	T 2	7 s	R 17	(E)N
stance and direction	n from nearest t	town or city s	treet address of well	if located within	city?				· /	
# St Address B	ov # CHEA	POKFE	FRACE	J+,			Board	of Agriculture.	Division of Wate	r Resource
			15, 668					ation Number:	J	
y, State, ZIP Code	· V/RC	7/1/1	H OF COMPLETED W	70						
AN "X" IN SECTION	ON BOX:	Depth(s)	Groundwater Encount	ered 1		ft.	2	ft. 3	3	ft.
	0	WELL'S S	STATIC WATER LEVE Pump test data: W							
NW	NE		gpm: V	ell water was		ft.	after	hours pu	ımping	gpm
i		Bore Hole	Diameter \mathcal{S}^2	% in. to	<i>!</i> .	. 今 ft.	, and	ir	. to	
w i		WELL WA	ATER TO BE USED A	AS: 5 Publ	ic water	supply	8 Air conditio	ning 11	Injection well	
	1 1 1	1 Do	mestic 3 Feedle	ot 6 Oil fi	ield wate	er supply	9 Dewatering	12	Other (Specify	below)
sw	- SE	2 Irric	gation 4 Indust						5014 BO	RING
1 !	1 : 1	1	emical/bacteriological		_	-				•
<u> </u>	<u> </u>	i	erriical/bacteriological	sample submitte	sa to Do		ater Well Disinf			pio maj sa
	2	mitted	- M		•					
TYPE OF BLANK			5 Wrought in	-	Concre				d Clamp	
1 Steel	3 RMP	(SR)	6 Asbestos-C	Cement 9	Other (specify bel	ow)	Weld	led	
2 PVC	4 ABS		7 Fiberglass					Thre	aded	
nk casing diamete	ər	in. to	ft., Dia	<i></i>	.in. to .		ft., Dia		in. to	f
			in., weight							
PE OF SCREEN					7 PVC			Asbestos-cem		
1 Steel		ess steel	5 Fiberglass			P (SR)				
2 Brass		nized steel	6 Concrete t	ile	9 ABS	5		None used (or	oen hole)	
REEN OR PERFO	DRATION OPEN	IINGS ARE:		5 Gauzed wrap	oped		8 Saw cut		11 None (ope	n hole)
1 Continuous s	slot 3	Mill slot		6 Wire wrappe	d		9 Drilled ho	les		
2 Louvered shu	utter 4	Key punched	d	7 Torch cut			10 Other (sp	ecify)		
· · · · · · · · · · · · · · · · · · ·		• •				ft Fr		• ,		
· -		S: From.		ft. to			om , , , ,	ft.	to	
CREEN-PERFORA	TED INTERVAL	S: From. From.		ft. to ft.		ft., Fr	om	ft.	to	
CREEN-PERFORA		S: From. From. S: From.		ft. to ft. to		ft., Fr	om	ft ft ft.	to to to	
GRAVEL P	TED INTERVAL	S: From. From.		ft. to ft. to ft. to ft. to		ft., Fr	om	ft.	to to to	
GRAVEL P	TED INTERVAL	S: From. From. S: From.		ft. to ft. to ft. to ft. to		ft., Fr ft., Fr ft., Fr	om	ft ft ft ft.	to to to	
GRAVEL P	TED INTERVAL	S: From. From. S: From. From at cement		ft. to	Bentor	ft., Fr ft., Fr ft., Fr	om	ft. ft. ft. ft. ft. ft.	to to to	f f f
GRAVEL P GROUT MATERIA Out Intervals: Fr	AL: 1 Nearon.	S: From. From. S: From. From t cement ft. to	2 Cement gro	ft. to	Bentor		om	ft. ft. ft. ft. ft. ft. ft. ft.	to to to	
GRAVEL P GROUT MATERIA Dut Intervals: Fr at is the nearest	TED INTERVAL	S: From. From. S: From. From at cementft. to	2 Cement groft., Fror	ft. to	Bentor	ft., Fr ft., Fr ft., Fr nite o	om	ft.	to	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contaminateral lines	2 Cement groft., Fror tion:	ft. to	Bentor	ft., Fr ft., Fr ft., Fr nite o 10 Live 11 Fue	om	n	tototototototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines	AL: 1 Nearonsource of possib	S: From. From. S: From. From at cement ft. to ble contaminateral lines sss pool	2 Cement gro ft., Fror tion: 7 Pit p	ft. to	Bentor	ft., Frft., Frft	om	n	to	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contaminateral lines sss pool	2 Cement groft., Fror tion:	ft. to	Bentor	ft., Frft., Frft	om	n	tototototototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	AL: 1 Nearonsource of possib	S: From. From. S: From. From at cement ft. to ole contamina teral lines ess pool eepage pit	2 Cement groft., Fror tion: 7 Pit p 8 Sew 9 Fee	ft. to	Bentor	ft., Frft., Frft	om	n	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight se rection from well?	AL: 1 Nearonsource of possib 4 La: 5 Ceewer lines 6 Se	S: From. From. S: From. From at cement ft. to ole contaminateral lines ess pool eepage pit	2 Cement gro tt., Fror Pit p 8 Sew 9 Fee	ft. to	Bentor	ft., Frft., Frft	om	n	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	AL: 1 Nearonsource of possib 4 La: 5 Ceewer lines 6 Se	S: From. From. S: From. From at cement ft. to ole contaminateral lines ess pool eepage pit	2 Cement gro	ft. to	Bentor	10 Live 11 Fer 13 Inse How m	om	n	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	AL: 1 Nearonsource of possib 4 Lates and 5 Ceewer lines 6 Se	S: From. From. S: From. From at cement ft. to ble contaminal teral lines ess pool epage pit LITHOL BROWN	2 Cement gro ft., Fror tion: 7 Pit p 8 Sew 9 Fee	ft. to	Benton t	10 Live 11 Fer 12 Fer 13 Inse	om	n	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr nat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight selection from well? ROM TO	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ole contaminateral lines ess pool epage pit LITHOL BROWN SILT	2 Cement gro ft., Fror tion: 7 Pit p 8 Sew 9 Fee	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 4 4 5 5 10	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton t	10 Live 11 Fer 12 Fer 13 Inse	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr iat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight seection from well? ROM TO	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro ft., Fror tion: 7 Pit p 8 Sew 9 Fee	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 4 4 5 5 10	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA Dut Intervals: From the second se	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA Out Intervals: From the second seco	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 4 4 5 5 10	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 4 4 5 5 10	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: From the second seco	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	totototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 4 4 5 1 0	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	tototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO 0 4 4 5 5 10	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	tototototo	
GRAVEL P GROUT MATERIA Dut Intervals: From the second se	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	tototototo	
GRAVEL P GROUT MATERIA out Intervals: From the is the nearest in Septic tank 2 Sewer lines 3 Watertight servection from well? FROM TO O # # 5 I D	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	tototototo	
GRAVEL P GROUT MATERIA Out Intervals: Froat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight servection from well? ROM TO O # # 5 I D	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	tototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO 0 4 4 5 5 10	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ass pool pepage pit LITHOL BROWN SILT	2 Cement gro	ft. to	Benton ft. to	10 Live 11 Fue 12 Fer 13 Inse How m	om	ft.	tototototo	
GRAVEL P GROUT MATERIA out Intervals: Fr hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? FROM TO 0 4 4 5 5 10 10 15	ACK INTERVAL AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ole contaminateral lines ess pool epage pit LITHOL BROWN SILT ROWN GREY	2 Cement gro ft., Fror tion: 7 Pit p 8 Sew 9 Fee COGIC LOG CIAY / GR SAND-STO	ft. to	Bentor ft. t	10 Live 11 Fue 12 Fer 13 Inse How m TO	om	n	to	f f f f f f f f f f f f f f f f f f f
GRAVEL P GROUT MATERIA out Intervals: Fr hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? FROM TO 0 4 4 5 5 10 10 15	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to le contaminateral lines ess pool epage pit LITHOL BROWN GREY	2 Cement gro ft., Fror tion: 7 Pit p 8 Sew 9 Fee OGIC LOG CIAY / GR SAND STOR SANDSTOR	ft. to	Bentor ft. t	10 Live 11 Fue 12 Fer 13 Inse How m TO 14 15	om	## 15 C	to	on and wa
GRAVEL P GROUT MATERIA Out Intervals: From the ist the nearest of the section from well? ROM TO HAMBER TO	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contaminateral lines perage pit LITHOL BROWN SILT ROWN GREY	2 Cement gro	ft. to	Bentor ft. t	tted, (2) re and this red	om	TETE (3) plugged une best of my kr	to	on and wa
GRAVEL P GROUT MATERIA out Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO O # # 5	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contaminateral lines perage pit LITHOL BROWN SILT ROWN GREY	2 Cement gro	ft. to	Bentor ft. t	tted, (2) re and this red	om	TETE (3) plugged une best of my kr	to	on and wa
GRAVEL P GROUT MATERIA but Intervals: Fr at is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se ection from well? ROM TO O # # 55 / O / 5 / O / 5 CONTRACTOR'S inpleted on (mo/dater Well Contractor)	AL: 1 Nearon	S: From. From. S: From. From at cement ft. to ble contamina teral lines ses pool repage pit LITHOL BROWN SILT ROWN GREY	2 Cement gro ft., Fror tion: 7 Pit p 8 Sew 9 Fee OGIC LOG CIAY / GR SAND STOR SANDSTOR	ft. to	Bentor ft. t	tted, (2) re and this reds completes	om	TETE (3) plugged une best of my kr	to	on and wa