Ф. <i>\$</i> ,	WATER \	WELL RECORD	Form WWC-5	KSA 82a-1	212	MWH4
1 LOCATION OF WATER WELL:	Fraction		Section	on Number	Township Num	
County: Allex	8/F 1/4	VE 1/4 X		34	T 24	s R /8 @w
Distance and direction from nearest town of	or city street addr	ess of well if loca	ted within city?	•		
110 South Sta	ite St	TOLA,	KS.			
2 WATER WELL OWNER: TOWA	& COLLOTOS	, ,				
RR#, St. Address, Box #	Coorelle	1	a 1	- 1-70	Board of Agri	culture, Division of Water Resource
City, State, ZIP Code POBOX	1+08/+	KLICHII	1, KANSA	S wto	Application N	umber:
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF COM	IPLETED WELL.	24	. ft. ELEVATI	ON:	
						, , , ft. 3, , , , , , , , , , , , , , . , . , .
i w						o/day/yr
Es	st. Yield	. gpm; Well wa	ater was	ft. afte	er t	nours pumping gpn
e Bo	ore Hole Diamete	r <i>J. Maj</i> in. t	o 2. 4	ft., ar	ıd	in. to
	ELL WATER TO		5 Public water	supply 8	Air conditioning	11 Injection well
	1 Domestic	3 Feedlot	6 Oil field water			12 Other (Specify below)
	2 Irrigation	4 Industrial	7 Lawn and ga	arden only 🐧	Monitoring well	,
	as a chemical/bac	cteriological sample	e submitted to De	partment? Yes	No	; If yes, mo/day/yr sample was su
ф	itted			Wate	r Well Disinfected?	Yes No
5 TYPE OF BLANK CASING USED:	Ε	Wrought iron	8 Concret	e tile	CASING JOINT	TS: Glued Clamped
1 Steel 3 RMP (SR)	ϵ	Asbestos-Cemer	nt 9 Other (specify below)		Welded
2 PVC 4 ABS	. 7	' Fiberglass				ThreadedX
Blank casing diameter in.	. to <i>I Y</i>	ft., Dia	in. to .		ft., Dia	in. to f
Casing height above land surface	<i>O.</i> ir	., weight ふんん	ed. 40	, Ibs./ft.	Wall thickness or	gauge No
TYPE OF SCREEN OR PERFORATION N		-	@PVC			stos-cement
1 Steel 3 Stainless st	teel 5	Fiberglass	8 RMF	P (SR)	11 Other	(specify)
2 Brass 4 Galvanized	steel 6	Concrete tile	9 ABS	3	12 None	used (open hole)
SCREEN OR PERFORATION OPENINGS	S ARE:	5 Ga	uzed wrapped		8 Saw cut	11 None (open hole)
en la companya de la			e wrapped		9 Drilled holes	
2 Louvered shutter 4 Key	punched		ch cut			
SCREEN-PERFORATED INTERVALS:	From 2 4	ft. to	l . Y	ft., From		. , , , ft. to
						, ft. to
GRAVEL PACK INTERVALS:	From Z . 4	, ft. to	/. 2	ft., From		ft. to
	From	ft. to		ft., From		
6 GROUT MATERIAL: 1 Neat cer	ment \mathscr{C}	Cement grout	(3 Bentor			
Grout Intervals: From. 19ft.	. to	ft., From	1.2 ft. t	o. / .Ø	ft., From	ft. to
What is the nearest source of possible co				10 Livesto		14 Abandoned water well
1 Septic tank 4 Lateral		7 Pit privy		11 Fuel s		15 Oil well/Gas well
2 Sewer lines 5 Cess po		8 Sewage I	agoon	12 Fertiliz	er storage	16 Other (specify below)
3 Watertight sewer lines 6 Seepag		9 Feedyard	-		cide storage	
Direction from well?	,o p	- · · · · · · · · · · · · · · · · · · ·		How man	-, ,	
FROM TO	LITHOLOGIC LO	DG	FROM	ТО	PLU	GGING INTERVALS
0 5 TODSOTA	4					
5 TY BLACK TO GRA 14 19 FINE TO 1 19 24 BLACK TO	EFNI TRACK	GRAVEI				
14 19 FINE TO	MEDTUM	SAND				
19 24 BLACK TO	GREENI	ODOR				
177A 1 AMERICAN AND AND AND AND AND AND AND AND AND A		- AAA SASSASSASSASSASSASSASSASSASSASSASSA				
		4				
		- I - I - I - I - I - I - I - I - I - I				
	m ==40==					
				L		
7 CONTRACTOR'S OR LANDOWNER'S	S CERTIFICATIO					
(,	7-95					t of my knowledge and belief. Kans
Water Well Contractor's License No.		This Wate				.jj.jj∨
under the business name of Kuntz	FNV YONN	IENTAL SICL		by (signat		· /
INSTRUCTIONS: Use typewriter or ball point pe of Health and Environment, Bureau of Water, To	n. PLEASE PRESS FIF opeka, Kansas 66620-	MLY and PRINT clearly 0001. Telephone: 913-2	. Please fill in blanks, o 96-5545. Send one to	underline or circle WATER WELL OW	the correct answers. Ser /NER and retain one for	if top three copies to Kansas Department your records.