## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Alleh Location changed to:
Section-Township-Range: 25-24 5-18 E	25-245-18E
Fraction ( 1/4 1/4 1/4): None Given	SW NE SW SW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: <u>Latitude &amp; longitude</u> , k well address, city map, and m	apping tool on KGS website.  initials: DRA date: 7/2/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECOR		WC-5		ter Resources; App. No. L				
1 LOCATION OF WATER County:	1/4	1/4 1/4	Section Number 25	T24 8	R 8 0 /W			
Distance and direction from	n nearest town or city street address	s of well if		ng Systems (decimal deg	grees, min. of 4 digits)			
located within city?	r $r$ $r$ $r$ $r$ $r$ $r$ $r$ $r$ $r$	·<	Latitude: 37					
/501	Easz St. Zola, K	J	Longitude: 95					
2 WATER WELL OWNER	R: Lane 4 Property Group Mi	chella Keijer	Elevation:					
RR#, St. Address, Box #	4705 CENERAL AVENUE Suit		Datum:					
City, State, ZIP Code	EPTH OF COMPLETED WEL		Data Collection	Method:				
3 LOCATE WELL'S 4 I	DEPTH OF COMPLETED WEL	L 18.0	f					
LOCATION								
WITH AN "X" IN Dep	oth(s) Groundwater Encountered	<u>(1)</u>	ft. (2)	ft. (3)	ft.			
SECTION BOX: WE	oth(s) Groundwater Encountered ELL'S STATIC WATER LEVEL	5.15 ft.	below land surface	e measured on mo/day	yr.5-11-08			
N	Pump test data: Well water v							
	t. Yieldgpm: Well water v							
	ELL WATER TO BE USED AS: 5							
w	Domestic 3 Feedlot 6 Oi	il field water su	pply ODe	watering 12 Ot	her (Specify below)			
2 I	rrigation 4 Industrial 7 De	omestic (lawn &	k garden) UM	onitoring well				
SW SE				🞾				
Wa	s a chemical/bacteriological sampl	e submitted to	Department? Yes	S No	If yes, mo/day/yrs			
Sar	s a chemical/bacteriological sampl	Wate	r well disinfected	? Yes No	••••			
S								
	): 5 Wrought Iron 8	3 Concrete tile	CASI	NG JOINTS: Glued	Clamped			
1 Steel 3 RMP (SF	R) 6 Asbestos-Cement 9	Other (specify	below)	Welded	s			
2 PVC 4 ABS	7 Fiberglass in. to			Chreaded	<b>5X</b>			
Blank casing diameter	in. to ft., Diamete	er i	n. to fi	., Diameter	in toft.			
Casing height above land surfa	ace. F in., Weight		lbs./ft. Wall th	nickness or guage No.	Jen. 70			
TYPE OF SCREEN OR PERI	FORATION MATERIAL:	3		44.04 (0.10)				
	s Steel 5 Fiberglass 7 P	<b>VO</b> 9 <i>P</i>	ABS	11 Other (Specify)	1 1 \			
	zed Steal 6 Concrete tile 8 R	M (SR) 10	Asbestos-Cement	12 None used (open	noie)			
SCREEN OR PERFORATION	OPENINGS ARE:			SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot				
			() Daillad bala	. 11 None (emen 1	aala)			
2 Louvered shutter 4 I	Mill slot 5 Gauzed wrapped	7 Torch cut	9 Drilled hole	es 11 None (open h	nole)			
2 Louvered shutter 4 I	Key punched 6 Wire wrapped	8 Saw Cut,	10 Other (spec	ify)				
2 Louvered shutter 4 I	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to!.8	10 Other (spec ft., From .	ify) ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to!	10 Other (spec ft., From ft., From .	ify) ft. to ft. to ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From . ft., From . ft., From	ify) ft. to ft. to ft. to ft. to ft. to				
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK INT	Key punched 6 Wire wrapped TERVALS: From From From From	8 Saw Cut, ft. to	10 Other (spec ft., From ft., From ft., From ft., From ft., From ft., From	ify)				
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN 6 GROUT MATERIAL:	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From	ify)				
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN 6 GROUT MATERIAL: Grout Intervals: From	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From	ify)				
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. ft. to ft.	ff., From	ft. toft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. other ft. to ock pens 13 I	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft., From ft., From ft., From ft., From ft., From ft. ft. och pens 13 I torage 14 A	ft., From  nsecticide Storage  Abandoned water well	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. och pens 13 I torage 14 Zer Storage 15	ft. from  ft. from	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN Hotels: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well?	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. from  ft. from	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spec ft., From ft. to ock pens 13 I torage 14 Zer Storage 15 yy feet?	ft. to	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN Hotel Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? N FROM TO	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spectrum) ft., From ft., From ft., From ft., From ft., From ft. ock pens 13 I dorage 14 Zeer Storage 15 Jeer Storage	ify)	ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN Hotel 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well?	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spectrum of the promise of	ify)	ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? N FROM TO	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spection of the from	ify)	ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well?	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spectrum of the from	ify)	ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 5 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 4 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 4 Watertight sewer lines 3 Watertight sewer lines 4 Watertight sewer lines 3 Watertight sewer lines 4 Watertight sewer lines 4 Watertight sewer lines 4 Watertight sewer lines 5 Watertight sewer lines 5 Watertight sewer lines 5 Watertight sewer lines 6 W	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spectrum) ft., From ft., From ft., From ft., From ft., From ft., From ft. ock pens ft. to ft. ock pens ft. to ft. ock pens ft	ft. to	ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.			
2 Louvered shutter 4 I SCREEN-PERFORATED IN GRAVEL PACK IN GRAVEL PACK IN GRAVEL PACK IN 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well?	Key punched 6 Wire wrapped TERVALS: From	8 Saw Cut, ft. to	10 Other (spection of the property (signature)  10 Other (spection of the property (signature)  11 TO  12 Other (spection of the property of t	ft. to	ft.			

http://www.kdheks.gov/waterwell/index.html.

CLIEN	LOG OF BO	2171140				-			Page 1 o
	iola Medical Developers, LLC		Voluntary Cleanup Investigation						
SITE	PRO	PROJECT iola Medical Developers LLC Property							
	iola Kansas				PLES				STS
GRAPHIC LOG	DESCRIPTION	БЕРТН, А.	NUMBER	TYPE*	RECOVERY, %	TIME	FIELD VAPOR TEST (PPM)	SOIL SAMPLE SENT TO LABORATORY	
<b>₩</b> 1	FILL, gravel, with clay and silt fines, some	-   -	-	HS	Œ				
<b>₩¹</b> -	sand, light brown, slightly moist	_							
7	FILL, clay, light brown with some mottling of yellow brown, slightly moist, and some gravel clasts	5-							
▩	FILL, clay, light brown, moist		1						
▩		-							
₩ <u>9</u>	FILL, clay, dark brown to gray, some metal slag gravel, trace glass, some brick fragments, moist	10-							
18	CLAY, light brown, trace limestone gravel, moist to dry at 17.0'	15—							
	Boring terminated on limestone at 18.0'.								