mW-l						
WATER WELL RE	CORD	Form V	VWC-5	Division of Wate	r Resources App. N	0.
1 LOCATION OF WA				Section Number	Township No.	Range Number
County: Allen	A reserved	1/4 1/4 5	E 4NE 4	35	T 24 S	R 19 ZE DW
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (CPS) information		
from nearest town or intersection: If at owner's address, check here .				Latitude: 37. 50. 1914 A (in decimal degrees)		
O.6 miles east of Lattarpe, I mi. south of inter-				Longitude: 951659,9466) (in decimal degrees)		
A MC JONA OLI LA LIPILLA CALLA				Elevation:		
2 WATER WELL OWNER: EN TIACT RR#, Street Address, Box #:				Collection Method:		
City, State, ZIP Code : 3129 Bass Pro Drive				GPS unit (Make/Model:		
Grapeving TX. 76057				Digital Map/Ph	oto, Topographi	c Man. T Land Survey
3 LOCATE WELL	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Est. Accuracy:	$3 \text{ m}, \square 3-5 \text{ m}, \square$	5-15 m, □ >15 m		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 9						
SECTION BOX: Depth(s) Groundwater Encountered (1) 9,77 ft (2)						
well SSIAIIC WATER LEVEL						av/vr
amp test data. Well water was						
- NW - NE - ESI. YIELDgpm. Well water was ft after hours numning						
W X E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
If yes, mo/day/yr sample was submitted						
Water well disinfected? Yes X No						
5 TYPE OF CASING USED: Steel Z PVC Other						
CASING JOINTS: Glued Clamped Welded X Threaded						
Casing diameter in to 4 ft Diameter in to 9 Diameter						
The the Wall thickness or course No.						
TIE OF BORDEN OR LERI ORATION WATERIAL;						
Steel Stainless Steel PVC Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
SCREEN-PERFORATED INTERVALS: From						
FIGURE TO THE STATE OF THE STAT						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout mervais. From						
what is the hearest source of possible contamination:						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewage lagoon						
Direction from well	nes beepage pn	LI recuyatu	Fertilizer sto			
FROM TO	LITHOLOGI	CLOG		TO LITHO, LO	G (cont) or DI II	GGING INTERVALS
0 4 Clax		nown plastic		20 20110.00	o (cont.) or 1 Loc	JOING INTERVALS
4 8.9 Clay	brown-yellow	Strald Gread				
89 90 Line St	ene tan weo	thred		***************************************		
						V
	·				******	
	and the same and t		 			
		y to a metro and a management of the last of the second state of 	 		***************************************	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🖾 constructed, 🗆 reconstructed, or 🗀 plugged						
Nansas water well Contractor's License No Court This Water Well Record was completed on (moldenterm) 251 11 12						
under the business name of CANAMA NEW PRINT D. SCREET, TOC. by (signature). The Indianal Management of Health and Print and PRINT clearly. Please fill in blanks and check the dorrect answers. Send three copies (white plus pink) to Kaneas Depart treat of Health and France Depart treat of Health and Health						
Telephone 785-296-5524. Sen d	one copy to WATE					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I nelude fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.						
Check: White Copy, Blue Copy, Pink Copy						

oy Ç