

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Harvey</u>		$\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$	<u>1</u>	T <u>24</u> S	R <u>2</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>3 mi South & 8 1/2 East off Norton</u>					
2 WATER WELL OWNER: <u>Harold Buning</u>					
RR#, St. Address, Box # : <u>RI Whitewater Kansas</u>					
City, State, ZIP Code : <u>Whitewater Kansas</u>					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>49</u> ft. ELEVATION: <u>1996</u>			
		Depth(s) Groundwater Encountered 1. <u>10</u> ft. 2. <u>10</u> ft. 3. <u>10</u> ft.			
		WELL'S STATIC WATER LEVEL <u>10</u> ft. below land surface measured on mo/day/yr <u>April 10</u> 1996			
		Pump test data: Well water was <u>20</u> ft. after <u>1</u> hours pumping <u>15</u> gpm			
		Est. Yield <u>13</u> gpm: Well water was <u>20</u> ft. after <u>1</u> hours pumping <u>15</u> gpm			
		Bore Hole Diameter <u>10</u> in. to <u>30</u> ft., and <u>8</u> in. to <u>49</u> ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic ③ Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped ② PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>X</u> 7 Fiberglass Threaded					
Blank casing diameter <u>5</u> in. to <u>49</u> ft., Dia. <u>5</u> in. to <u>49</u> ft., Dia. <u>5</u> in. to <u>49</u> ft.					
Casing height above land surface <u>24</u> in., weight <u>200</u> lbs./ft. Wall thickness or gauge No. <u>PVC</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped ⑧ Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) <u>20 plain</u>					
SCREEN-PERFORATED INTERVALS: From <u>9 plain</u> ft. to <u>20 screen</u> ft., From <u>20 plain</u> ft. to <u>49</u> ft.					
GRAVEL PACK INTERVALS: From <u>10</u> ft. to <u>49</u> ft., From <u>49</u> ft. to <u>49</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout ③ Bentonite 4 Other					
Grout Intervals: From <u>top</u> ft. to <u>10</u> ft., From <u>10</u> ft. to <u>49</u> ft., From <u>49</u> ft. to <u>49</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy ⑩ Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? <u>4 of 221</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>top</u>	<u>3</u>	<u>top soil</u>			
<u>3</u>	<u>20</u>	<u>Brown clay</u>			
<u>20</u>	<u>28</u>	<u>Sandling</u>			
<u>28</u>	<u>35</u>	<u>Blue clay</u>			
<u>35</u>	<u>37</u>	<u>Rocking Blue Shale</u>			
<u>37</u>	<u>49</u>	<u>Blue Shale</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>April 28 1996</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>221</u> This Water Well Record was completed on (mo/day/yr) <u>April 1996</u>					
under the business name of <u>Irish Budge</u> by (signature) <u>Irish Budge</u>					