WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: RANGE NUMBER FRACTION SECTION NUMBER TOWNSHIP NUMBER NW 1/4 NW 24 2E Harvey SW 34 F/W Т S R 1/4 1/4 Distance and direction from nearest town or city street address of well if located within city? 3/8 mile N of 125th N, East side of Spencer Rd. Sedgwick, Kansas WATER WELL OWNER: CALL, John Board of Agriculture, Division of Water Resource 10200 S. Spencer Rd. RR#,ST. ADDRESS,BOX #: CITY, STATE: Sedgwick, Kansas Application Number ZIP CODE 116 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: **ELEVATION:** WITH AN "X" IN SECTION BOX ft. Depth of groundwater Encountered: ft. 10/28/19 WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was ft. after hours of pumping @ gpm NW NE Est. Yield: Well water was ft. after hours of pumping @ apm Φ apm to 116 ≌ Bore Hole Diameter 12 and ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 5. Public water supply 12. Other (Specify below) 8. Air conditioning 10. Monitoring well 2. Irrigation 4. Industrial 6. Oil field water supply ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO (YES NO submitted Was Water Well Disinfected? TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Glued Threaded 5. Wrought Iron 7. Fiberglass 1. Steel 3. RPM (SR) Welded Clamped SDR-26 8. Concrete tile 6. Asbestos-Cement 2. PVC 4. ABS Blank casing diameter 5 33 in. to ft.. Dia. ft.. Dia ft. in to in to 12 2.35 Casing height above land surface: Weight: lbs. / ft Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 1. Steel 3. Stainless Steel 5. Fiberglass 9. ABS 11. Other (specify) 2 Brass 8. RMP (SR) 12. None used (open hole) 6. Concrete Tile 4. Galvanized 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 3 Mill slot 1. Continuous slot 9. Drilled holes 11. None (open hole) 5. Gauzed wrapped 7. Torch cut 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 33 to 116 ft From From ft. ft. From ft. to ft.. From to ft. **GRAVEL PACK INTERVALS:** 24 ft. 116 From ft.. From ft. to ft. ft. From to ft.. From GROUT MATERIALS: Other 6 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: From fŧ to ft., 35 to 37 From ft. 24 From to ft. What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line South How many feet? 100 ft. plus Direction from well? From To LITHOLOGIC LOG LITHOLOGIC LOG From To O 3 topsoil 3 27 clay 27 35 fine sand 35 116 grey shale 7 under my jurisdiction and plugged

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 10/28/19 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236

This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service

by (signature)

10/31/19 Todd S. Harp