HW16 WATER WELL RECORD Form WWC-5 Division of Water Resources App. No. 1 LOCATION OF WATER WELL: Fraction Range Number Section Number Township No. NW4 NW 4NW 4 NW4 County: Alen T 24 S R JO NE □W Global Positioning System (GPS) information:
Latitude: 37.32147 (in decimal degrees)
Longitude: 35.147 (in decimal degrees) Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here ... Elevation: 1106.59 HWH5445AJet: MORANKS. Datum: WGS 84, NAD 83, NAD 27 WATER WELL OWNER: Potas Corporation Collection Method: RR#, Street Address, Box #: P.O. Box 876 GPS unit (Make/Model: .....) City, State, ZIP Code ☐ Digital Map/Photo, ☐ Topographic Map, 🔀 Land Survey Pauson, Ks 67357 LOCATE WELL 4 DEPTH OF COMPLETED WELL 13.5 ft. WITH AN "X" IN Depth(s) Groundwater Encountered (1).12.1 ft. (2)... ft. (3)... ft. WELL'S STATIC WATER LEVELY. S.1 ft. below land surface measured on mo/day/yr.1.1/23/1.D... **SECTION BOX:** Pump test data: Well water was......ft. after..... hours pumping...... gpm W WELL WATER TO BE USED AS: Public water supply Geothermal Injection well

Domestic Feedlot Oil field water supply Dewatering Other (Specify below) -- SE --☐ Industrial ☐ Domestic-lawn & garden ☒ Monitoring well ...... If ves. mo/day/vr sample was submitted..... |-----1 mile------| Water well disinfected? 
Yes No X PVC 5 TYPE OF CASING USED: Steel ☐ Other ..... TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel **PVC** ☐ Other (Specify) ..... Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 13.5 ft. to 5.5 ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Cement Grout Intervals: What is the nearest source of possible contamination: ☐ Insecticide storage Septic tank ☐ Lateral lines ☐ Pit privy Livestock pens Other (specify below) Fuel storage Abandoned water well
Oil well/gas well Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Sewer lines Watertight sewer lines Seepage pit Feedyard LITHOLOGIC LOG FROM LITHO. LOG (cont.) or PLUGGING INTERVALS FROM TO TO O 150 Aschalt Bin day w/ yon bride staning to refraguents 150 6.0 6,0 12.0 Simeston 12,0 13.3 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged

http://www.kdheks.gov/waterwell/index.html.