KOLAR Document ID: 1524846

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App. 1			Well ID		
			Fraction	Section Number			1		ige Number		
County: 1/4 1/4 1/4						1 4 1 1					
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
Address:					direction from	rection nonin hearest town of intersection). If at owner's address, check here.					
Address:											
City:		T	State:	ZIP:							
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:						t 5 Latit	nqe			(decimal degrees)	
				Encountered: 1)			5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	N BUA:			Dry Well			WGS 84 🗌 NAI		NAD 27		
		WELL'S ST			Source	Source for Latitude/Longitude:					
			 below land surface, measured on (mo-day-yr). above land surface, measured on (mo-day-yr). 					unit make/model:			
NW	NE	Pump test d				(WAAS enabled? Yes No)					
w		~	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
			Well water was ft.								
SW	SE	after hours pumping			gpm						
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC					
	S	Bore Hole I	Bore Hole Diameter: in. to			Source: Land Survey GPS Topographic Map Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
			6. Dewatering: how many wells?				11. Test Hole: well ID				
			7. Aquifer Recharge: well ID					\Box Uncased \Box (
Livesto				g: well ID	12. Geot	therm	al: how many bores	?			
	2. Irrigation 9. Environmental Remediation: we										
3. EFeedlot					Extraction		b) Open Loop Surface Discharge Inj. of Water				
4. □ Industrial □ Recovery □ Injection 13. □ Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
\Box Steel \Box Stainless Steel \Box PVC \Box Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
		e contaminati	on: No	potential source of con	tamination w	ithin 200 ft.					
□ Septic			Lateral Line			Livestock P	ens		ide Storage		
Sewer			Cess Pool	🗌 Sewage Lag		Fuel Storage			oned Water		
	ight Sewer Li			☐ Feedyard		Fertilizer St	orage	🗌 Oil We	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS	
					Natari						
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my j	urisdiction a	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.	
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This Wa	ter Well Re	cord was co	mple	ted on (mo-day-ye	ear)		
under the b	ousiness name	e of	WATED Y	ELL OWNER and rates		orda Eas -f. ^e	5 00 0	or analy constructed a	 11	<u></u>	
KS Departr	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										