

1 LOCATION OF WATER WELL:	Fraction <u>NE 1/4 SW 1/4 NW 1/4</u>	Section Number <u>18</u>	Township Number <u>T 24 S</u>	Range Number <u>R 3</u> EW
---------------------------	--------------------------------------	--------------------------	-------------------------------	-----------------------------------

Distance and direction from nearest town or city street address of well if located within city?

219 N. Main, Whitewater, KS.

2 WATER WELL OWNER: <u>Alan Church</u>	Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box # : <u>Rt 2 #5 Cherry</u>	
City, State, ZIP Code : <u>Marian, KS. 66861</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>22'</u> ft. ELEVATION:	
	Depth(s) Groundwater Encountered 1. <u>12'</u> ft. 2. _____ ft. 3. _____ ft.	
	WELL'S STATIC WATER LEVEL <u>12.25</u> ft. below land surface measured on mo/day/yr <u>5-1-96</u>	
	Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm	
	Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm	
	Bore Hole Diameter <u>8 1/2"</u> in. to <u>22'</u> ft. and _____ in. to _____ ft.	
WELL WATER TO BE USED AS:		
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes _____ No X If yes, mo/day/yr sample was submitted _____		
Water Well Disinfected? Yes _____ No (No)		

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued _____ Clamped _____
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) _____
2 PVC	4 ABS	7 Fiberglass	Welded X
Blank casing diameter <u>2.375</u> in. to _____ ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.			Threaded <u>SDR 13</u>
Casing height above land surface <u>Flush Mt.</u> in., weight _____ lbs./ft. Wall thickness or gauge No. <u>SCH 40</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From <u>22'</u> ft. to <u>7'</u> ft., From _____ ft. to _____ ft.			
GRAVEL PACK INTERVALS: From <u>22'</u> ft. to <u>5'</u> ft., From _____ ft. to _____ ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other _____
Grout Intervals: From <u>5'</u> ft. to <u>3'</u> ft., From <u>3'</u> ft. to <u>0'</u> ft., From _____ ft. to _____ ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below) _____
Direction from well? <u>North East</u> How many feet? <u>275-300'</u>				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	.75	Gravel roadbase.			
.75	5	Red brn oxide stained, tight, dry clay, noodor, low-med. plasticity w/ trace amt of caliche and sand.			
5	8	Red brn oxide stained sandy clay, moist, no odor.			
8	12	Red fine grained sand, dry, no odor, well rounded & sorted.			
12	22	Gray to blk sand, strong odor, wet, subrounded, well graded, fine-med grained.			

F.M. OK'd by Don Taylor

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-1-96</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>539</u> This Water Well Record was completed on (mo/day/yr) <u>5-8-96</u> under the business name of <u>JB Environmental Drilling</u> by (signature) <u>James Becker</u>	
---	--