


1 LOCATION OF WATER WELL: Fraction NE 1/4 SW 1/4 NW 1/4 Section Number 18 Township Number T 24 S Range Number R 3 EW  
 County: Butler

Distance and direction from nearest town or city street address of well if located within city?  
219 N. Main, Whitewater, KS.

2 WATER WELL OWNER: Alan Church  
 RR#, St. Address, Box #: Rt 2 #5 Cherry Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Marian, KS. 66861 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 18' ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 14' ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 11.31 ft. below land surface measured on mo/day/yr 5-1-96  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 1/2" in. to 18" ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was sub-  
 mitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X  
 7 Fiberglass Threaded SDR 13  
 Blank casing diameter 2.375 in. to 8' ft., Dia. in. to ft., Dia. in. to SCH 40 ft.  
 Casing height above land surface Flush Mt. in., weight lbs./ft. Wall thickness or gauge No.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 18' ft. to 8' ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 18' ft. to 6' ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 6' ft. to 4' ft., From 4' ft. to 0' ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? East South East How many feet? 100'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.50	Med- dk brn silty clay w/ some ls.rx. ctz gravel, moist.			
1.50	4	Med tan brn silty clay w/ some caliche, moist, no odor.			
4	6	Med tan brn silty sandy clay, w/ caliche and pale green gray mottling, moist, faint odor.			
6	9	Med to lt brn silty sand clay w/ caliche, oxide staining & mottling, moist, no odor.			
9	11.50	Lt brn silty sandy clay w/ caliche, oxide staining, crude oil smell, fine grained sand, moist.			
11.50	18	Gray green silty clay, moist, mod. odor.			

*F.M. OK'd by Don Taylor*

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-1-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) by (signature) James  
 under the business name of JB Environmental Drilling