				ER WELL RECORD	Form WWC-5	KSA 82		
	ION OF WA	TER WELL:	Fraction	NE M	4 / I *	tion Number	_ `) '\_	1 )
County:		from poorcet tou		address of well if locate	1/4	)0	I T & T	S   R (E)W
JISTAINCE .	and direction	Thom hearest low	C CITY OF	With Kar				
	, , ,							
		WIER: BOBE	by Bro	mLow	Ana	orer	^	
	Address, Bo	×#: つて a	1 5 1	La cold			Board of Agric	ulture, Division of Water Resource
1	e, ZIP Code	· · · · · · /	<u> </u>	akesia	$\frac{e}{\sqrt{r}}$		O2 Application Nu	
LOCAT	'E WELL'S L ' IN SECTIO	OCATION WITH	4 DEPTH OF	COMPLETED WELL.	106	ft. ELEV	ATION:	ft. 3
AN A	IN SECTIO	N BOX.	Depth(s) Groun	ndwater Encountered	10.80	ft.	2	ft. 3
ī [	! !		WELL'S STAT	IC WATER LEVEL .39	ft. b	elow land su	rface measured on mo	/day/yr
	Nw tE		Pur	mp test data: Well wat	erwas	ft. a	after ho	ours pumping gpm
[	1		Est. Yield . 🗳	.5 gpm; Well wat	erwas	ft. a	after ho	ours pumping gpm
ا بر ف	<u>i</u>	1 .	Bore Hole Dian	meter in. to			and	in. toft.
₹ "	1	1 1	WELL WATER	TO BE USED AS:	5 Public water	er supply	8 Air conditioning	11 Injection well
ī Ì	1 514		<b>O</b> Domesti	c 3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify below)
	>w	] 3:	2 Irrigation	n 4 Industrial	7 Lawn and g	garden only	10 Monitoring well	.,
	i		Was a chemica	al/bacteriological sample	submitted to D	epartment? Y	′esNo. <b>X</b>	; If yes, mo/day/yr sample was sub
		\$	mitted			W	ater Well Disinfected?	Yes 🗶 No
TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINTS	S: Glued Clamped
์ 1 S	teel	3 RMP (SF	국)	6 Asbestos-Cement	9 Other	(specify belo		Welded
(2) P	vc	4 ABS		7 Fiberglass			* * * * * * * * * * * * * * * * * * * *	Threaded
Blank cas	ing diameter	·	.in. tg5.X	ft., Dia	in. to دو.		ft., Dia	in. to ft.
Casing he	eight above I	and surface	18					auge No. <i>J.</i> 2. 1. <del>4.</del>
		R PERFORATION			F/PV		10 Asbesto	• •
1 S	1 Steel 3 Stainless steel 5 Fiberglass					8 RMP (SR) 11 Other (specify)		
2 B	rass	4 Galvaniz	ed steel	6 Concrete tile				sed (open hole)
SCREEN	OR PERFO	RATION OPENIN	GS ARE:	5 Gauz	ed wrapped	apped (8 Saw cut 11 None (open ho		11 None (open hole)
1 C	ontinuous sk	ot 3 Mi	ill slot	6 Wire	wrapped		9 Drilled holes	• )/4.
2 Lo	ouvered shut	ter 4 Ke	ey punched	7 Torc	n cut		10 Other (specify) .	
SCREEN-	PERFORAT	ED INTERVALS:	From	5.0 ft. to .	1.0.6	ft., Fro	om	ft. to
			From	ft. to .		ft., Fro	om	ft. to
	GRAVEL PA	CK INTERVALS:	From	ft. to .		ft., Fro	om	ft. to
			From	ft. to		ft., Fro	om	ft. to ft.
GROU	T MATERIAI	L: 1 Neat o	ement	2 Cement grout	(3)Bento	nite 4	Other	
Grout Inte	ervals: Fro	m <b></b>	ft. to . 2.3	ft., From	<i></i> ft.	to	ft., From	ft. toft.
What is th	ne nearest s	ource of possible	contamination:			10 Live:	stock pens	14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit p						11 Fuel	storage	15 Oil well/Gas well
2 Sewer lines 5 Cess pool				8 Sewage lag	joon	12 Fertilizer storage		16 Other (specify below)
3 W	atertight sev	ver lines 6 Seep	age pit	9 Feedyard	9 Feedyard		cticide storage	
Direction	from well?	٨/		W			any feet? 300	
FROM	ТО		LITHOLOGIC	C LOG	FROM	то	PLUG	GING INTERVALS
_0	4	Soil						
4	115	CLAY						
15	106	SHALLEY	-Lime	2		ĺ		
,								
							THE THE PARTY OF T	
							-	
CONT	PACTOR'S		PS CERTIFICA	TION: This water well w	una (1) namatru	oted (2) rea	anatrustad or (2) aluga	jed under my jurisdiction and was
		/year) 3//5/		TION. THIS Water Well V	vas (1) constru			
		's License N		This Motor V	Vall Decard		on (mo/day/yr) مر	my knowledge and belief. Kansas
				ELL Drik	/ Ticcord Wa	by (signa		12-10