

LOCATION OF WATER WELL:

Fraction

SE $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$

Section Number

28

Township Number

T 24 S

Range Number

R 4 EW

County: Butler
Distance and direction from nearest town or city street address of well if located within city?

North East Part of town

WATER WELL OWNER:

M. C. Van der Weel

Potwin Kan 67123

RR#, St. Address, Box #

406 Ellis Ave Box 121


Board of Agriculture, Division of Water Resources

City, State, ZIP Code

Application Number:

LOCATE WELL'S LOCATION WITH
AN "X" IN SECTION BOX:

N



S

4 DEPTH OF COMPLETED WELL 125 ft. ELEVATION:

Depth(s) Groundwater Encountered 1 80 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR)
2 PVC 4 ABS

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued X Clamped

9 Other (specify below)

Welded

Threaded

Blank casing diameter 5 in. to ft. Dia 60 in. to ft. Dia in. to ft.

Casing height above land surface 18 in. weight 200 lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel
2 Brass 4 Galvanized steel

5 Fiberglass

7 PVC

10 Asbestos-cement

6 Concrete tile

8 RMP (SR)

11 Other (specify)

7 Gauzed wrapped

9 ABS

12 None used (open hole)

6 Wire wrapped

8 Saw cut

11 None (open hole)

7 Torch cut

9 Drilled holes

10 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot
2 Louvered shutter 4 Key punched

SCREEN-PERFORATED INTERVALS: From 60 ft. to 125 ft. From ft. to ft.

From ft. to ft.

From ft. to ft.

From ft. to ft.

ft.

GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft.

From ft. to ft.

From ft. to ft.

From ft. to ft.

ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 3 ft. to 13 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy
2 Sewer lines 5 Cess pool 8 Sewage lagoon
3 Watertight sewer lines 6 Seepage pit 9 Feedyard

10 Livestock pens

14 Abandoned water well

11 Fuel storage

15 Oil well/Gas well

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well? 5

How many feet? 150

LITHOLOGIC LOG

FROM TO

0 5 Soil

5 18 Clay

18 28 Rock

28 70 Shale

70 125 Lime

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/21/84 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 6525 This Water Well Record was completed on (mo/day/yr) 6/20/84

under the business name of Winter Well Drill by (signature) Charles Winter

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top

three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL

OWNER and retain one for your records.