WATER WELL	RECORD	Form W	WC-5	Division of Water Resources App. No.		
	F WATER WELL:	Fraction	/ 1/ CIM 1/	Section Number Township No. Range Num 21 T 24 S R 4 7	iber]E □W	
County: Butler SW ½ SE ½ NW ½ SW ½ Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .				Latitude: .37.94506281(in decimal degrees)		
Approx 2 miles North & 1 mile East of Potwin, Ks			Longitude: 97.00250354 (in decimal degrees)			
Approx 2 miles North & 1 mile East of 7 others, No			Elevation: 1394			
2 WATER WELL OWNER: Duane Graber				Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Duane Graber RR#, Street Address, Box #: 2841 Tee Time Ct.			Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Wichita, Kansas 67205			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	vviorna:	Nailsas 0/203		Est, Accuracy:	15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 49						
					A	
SECTION BOX.						
Pump test data: Well water wasft. after hours pumping gpm						
EST. YIELD. 2-3gpm. Well water was						
w E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Yes No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)						
☐ Steel ☐ Stainless Steel						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From						
From ft. to ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From 21 ft. to 49 ft., From ft. to ft.						
From						
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
Sewer lines Cesspool Sewage lagoon Fuel storage Adamdoned water went Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from	well None within 1/4 m	ile		from well		
FROM TO	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTI	ERVALS	
	l'opsoil					
	imestone	· · . · · · · · · · · · · · · · · ·				
	Clay					
	Shale, gray		 			
	Shale, fracture		<u> </u>			
43 120 8	Shale, gray		 -			
			 			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdicti	on and was completed or	n (mo/day/year) .4/14/	/2015 an	d this record is true to the best of my knowledge and		
Kansas Water Well Contractor's License No897 This Water Well Record was completed on (mo/day/year) .5/4/2015						
under the business name of Peterson McNett Drilling, Inc. by (signature) by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						

http://www.kdheks.gov/waterwell/index.html