			orm WWC-5 KS/	A 82a-1212	
1 LOCATION OF WATER	- A/ I//	AL IVE	Section Nur		
Distance and direction from			Street address of w	vell if located within city?	S R 6 (E)W
The stance and direction from	n nearest town or city?	oraclo			
2 WATER WELL OWNER	Fred W.S	rkver	ムナスス	BLOCKZ	
RR#, St. Address, Box # City, State, ZIP Code	2510 EXCHA	inge Place	16/2/19	Board of Agric Application Nu	culture, Division of Water Resources
3 DEPTH OF COMPLETE	ED WELL . 1.2.0 ft.	Bore Hole Diameter	2in. to/	4 ft., and	in. to ft.
Well Water to be used as:			8 Air conditioning	11 Injecti	ion well
Domestic 3 Feedle	ot 6 Oil field water	er supply	9 Dewatering	12 Other	(Specify below)
2 Irrigation 4 Indust	trial 🔨 < 7 Lawn and ga	arden only	10 Observation well		
Well's static water level					day 8 year
Pump Test Data Est. Yield		ft. after . ft. after		hours pumping hours pumping	
4 TYPE OF BLANK CAS	ING USED:	5 Wrought iron	8 Concrete tile	Casing Joint	ts: Glued X Clamped
	(3) RMP (SR)	6 Asbestos-Cement	9 Other (specify	below)	Welded
2 PVC	4 ABS	7 Fiberglass			Threaded
Blank casing dia	in. to /				in. to ft.
l .		in., weight		lbs./ft. Wall thickness or	gauge No 1214
	ERFORATION MATERIAL:		7 PVC	10 Asbesto	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other ((specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		used (open hole)
Screen or Perforation Oper	nings Are:		d wrapped	(8)Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot		rapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch			
	~				in to
Screen-Perforated Intervals	` •				. ft. to
					.ft. toft.
Gravel Pack Intervals:					. ft. to
	From	ft. to	ft., Fro		ft. to ft.
5 GROUT MATERIAL:	Neat cement	2 Cement grout	3 Bentonite		
Grouted Intervals: From	•	ft., From			ft. to
	e of possible contamination:			Fuel storage	14 Abandoned water well
1 Septic tank	4 Cess pool	7 Sewage lago		Fertilizer storage	15 Oil well/Gas well
2 Sewer lines	5 Seepage pit	8 Feed yard	_	Insecticide storage	16 Other (specify below)
3 Lateral lines	6 Pit privy	9 Livestock per	s (13)	Watertight sewer lines	5
Direction from well					
Was a chemical/bacteriological sample submitted to Department? Yes					
If Yes: Pump Manufacturer's name Model No. HP Volts Depth of Pump Intake ft. Pumps Capacity rated at gal./min.					
1	1 Submersible				iprocating 6 Other
					gged under my jurisdiction and was
	10				
1	he best of my knowledge ar			,	year
This Water Well Record w		d belief, Karisas Water W	onth. 2	ise No. 🔾) . /	Sp., year under the business
name of	nlehd	hiLLing	y (signature)	11/10/11/2	Can la
7 LOCATE WELL'S LOC	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	LPHOLOG		FROM TO	LITHOLOGIC LOG
── WITH AN "X" IN SEC	TION 7	Soil			
BOX:	3 16	CLAY			
N	10 45	SHAHE			
1 1	45 120	Zinze			
NW NEM	-				
w T	■ E				
7 1 1					
SW SE -					
1 1					
S 1 Mile ———	-1				
ELEVATION:					
Depth(s) Groundwater End	countered 1ft	. 2 ft. 3	ft. 4	. ft. (Use a se	econd sheet if needed)
INSTRUCTIONS: Use type	ewriter or ball point pen. plea	se press firmly and PRINT	clearly Please fill in	blanks, underline or circle t	the correct answers. Send top three to me to WATER WELL OWNER and
T CODIES IO Nansas Departme	THE OF MODITE AND LINUISANISAN	T UNISION OF Environment	water Well Contractor	rs Toneka KS 66620 Send	LONG TO WATER WELL OWNER and
retain one for your records	sit of nealth and Environmen S.	t, Division of Environment,	vvater vven Contractor	io, Topona, No occes. Cond	TOTIE TO WATER WELL OWNER and