

1 LOCATION OF WATER WELL: County: Butler	Fraction SE 1/4 NE 1/4 NE 1/4	Section Number 1	Township Number T 24 S	Range Number R 6 E	
Distance and direction from nearest town or city street address of well if located within city? 4 WEST 3 1/4 SOUTH Cassoday KS					
2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code	Eunice Harsh. Cassoday KS 66842				Board of Agriculture, Division of Water Resources Application Number:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL 21 ft. ELEVATION: 1108.999				
Depth(s) Groundwater Encountered 1 ft. 2. 3 ft.					
WELL'S STATIC WATER LEVEL 1108.999 ft. below land surface measured on mo/day/yr					
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft.					
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded		
Blank casing diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 56 in., weight	lbs./ft. Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) NA 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) NA					
SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From ft. to ft.					
From ft. to ft., From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.					
From ft. to ft., From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: Grout Intervals: From 21 ft. to 4 ft., From ft. to ft., From ft. to ft.	1 Neat cement 2 Sewer lines 3 Watertight sewer lines	2 Cement grout 5 Cess pool 6 Seepage pit	3 Bentonite 7 Pit privy 8 Sewage lagoon 9 Feedyard	4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) NONE	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	
PLUGGING INTERVALS					
Telephone Don. Taylor 10-13-94 11:00 AM					
Remove Casing. TD 21' Bentonite 4' fill to 0 Portland Cement. This well is under 6' fill on U.S. Toe of Watershed Dam. S.P.-4					
Ebens Court					
Location. Station 2000 E Dam 56' US					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or X plugged under my jurisdiction and was completed on (mo/day/year) 10-13-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 103 , This Water Well Record was completed on (mo/day/yr) 11-20-94 by (signature) McNee Drilling & Metals					