

1 LOCATION OF WATER WELL: Sedgwick	FRACTION NE 1/4 NE 1/4 NW 1/4	Section Number 31	Township Number T 25 S	Range Number R 1E E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

#4 Valley Oak Circle Valley Center, Kansas

WATER WELL OWNER: RUTH, Brian	Board of Agriculture, Division of Water Resource Application Number:
RR#, ST. ADDRESS, BOX #: #4 Valley Oak Circle	
CITY, STATE, ZIP CODE: Valley Center, Kansas	

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION:
	Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.
	WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON 06/20/1996
	Pump test data: Well water was 1 ft. after 2 hours pumping 3 gpm Est. Yield 12 gpm Well water was 1 ft. after 2 hours pumping 3 gpm Bore Hole Diameter 12 in. to 30 ft. and 1 in. to 1 ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below) 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS:	Glued <input checked="" type="checkbox"/> Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify below)		Welded
2 PVC 4 ABS	7 Fiberglass	SDR-26		Threaded
Blank casing Diameter 5 in. to 25 ft., Dia	in. to 25 ft., Dia	lbs. / ft. 2.35	Wall thickness or gauge No. .214	
Casing height above land surface 12 in.	weight 2.35			
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	11 other (specify)	
1 Steel 3 Stainless Steel	6 Concrete tile	9 ABS	12 None used (open hole)	
2 Brass 4 Galvanized steel				
SCREEN OR PERFORATION OPENING ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot	6 Wire wrapped	9 Drilled holes		
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (specify)		
SCREEN-PERFORATION INTERVALS:	from 25 ft. to 30 ft., From	ft. to	ft. to	ft.
	from	ft. to	ft. to	ft.
GRAVEL PACK INTERVALS:	from 24 ft. to 30 ft., From	ft. to	ft. to	ft.
	from	ft. to	ft. to	ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 4 ft. to 24 ft. From	ft. From	ft. to	ft. From	ft. to
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandon water well		
1 Septic tank 4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit	9 Feedyard	13 Insecticide storage		
Direction from well? South				How many feet? 25

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	topsoil			
2	15	clay			
15	30	medium to coarse sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 06/20/1996 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 06/21/96 Under the business name of Harp Well & Pump by (signature) <i>Todd S. Harp</i>
