

1 LOCATION OF WATER WELL: Sedgwick	FRACTION NW 1/4 SE 1/4 SW 1/4	Section Number 31	Township Number T 25 S	Range Number R 1E E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

300 Dover Court Valley Center, Kansas

WATER WELL OWNER: BANNING, Danny	Board of Agriculture, Division of Water Resource
RR#, ST. ADDRESS, BOX #: 300 Dover Court	Application Number:
CITY, STATE, ZIP CODE: Valley Center, Kansas	

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL 30 ft. ELEVATION:
	Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.
	WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON 07/16/1996
	Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12 in. to 30 ft. and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below) 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS:	Glued <input checked="" type="checkbox"/> Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify below)	Welded	
2 PVC 4 ABS	7 Fiberglass	SDR-26	Threaded	
Blank casing Diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft.				
Casing height above land surface 12 in., weight 2.35 lbs. / ft.			Wall thickness or gauge No. .214	
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	7 PVC	10 Asbestos-cement	
1 Steel 3 Stainless Steel	6 Concrete tile	8 RMP (SR)	11 other (specify)	
2 Brass 4 Galvanized steel		9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot 3 Mill slot	6 Wire wrapped	9 Drilled holes		
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 25 ft. to 30 ft., From ft. to ft.				
GRAVEL PACK INTERVALS: from 24 ft. to 30 ft., From ft. to ft.				

6 GROUT MATERIAL: 1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft.			
What is the nearest source of possible contamination:	7 Pit privy	10 Livestock pens	14 Abandon water well
1 Septic tank 4 Lateral lines	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines 5 Cess pool	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit		13 Insecticide storage	
Direction from well? North		How many feet? 50	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	topsoil			
2	10	clay			
10	30	medium to coarse sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 07/16/1996 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 07/17/96 Under the business name of Harp Well & Pump Service, Inc by (signature) <i>Todd S. Harp</i>
