1 LOCATION OF V	VATED WELL.	FRACTION	V	Water Well Rec	ord Form WWC	-5 KSA 82a-1212 Section Number		···		
	wick	NE NE	1/4 N	E 1/4	SE 1/4	23	Township Numb	I	Range Number	
AND	on frem nearest town or city str				SE 1/4	1 43	1 T 25	S	R 1E	E/W
9711 N	. Oliver	Wich	ita.	Kansas	.					
WATER WELL	0))))	ATE, C			9 (
RR#, ST. ADRES		N. Oli					Board o	f Agriculture, Div	vsion of Water Resourc	e
CITY, STATE, Z			S				Application Number:			
	LOCATION WITH 4	DEPTH O	F COMPL	ETED WELI	70	ft. EL	EVATION:			
AN "X" IN SECTI	ON BOX:	Depth(s) gro	oundwater	Encountered	1	ft.	2	ft.	3	ft.
	l w	ELL'S STAT				T. BELOW LAND SU	URFACE MEASURED OF	N mo/day/yr	09/05/19	96
NW	NE	Pur	np test dat	a: Wel	l water was	ft.	after	hours pump	ing	gpm
ايوا		t. Yield		,	ll water was	ft.	after	hours pump	ing	gpm
∰ w ——	VIE	re Hole Dian		12 in.	to 70	ft.	and	in.	to	ft.
	/\ \wi	ELL WATEI			5 Public was	** *	8 Air conditioning		ection well	
sw	SE	1 Domestic		Feedlot Industrial		vater supply	9 Dewatering	12 00	her (Specify belov	v)
	337	2 Irrigation	••			-	10 Monitoring well	. 16	/4/	
* L	0	as a cnemica ubmitted	l/bacteriole	ogicai sampie	submitted to	Department? Yes Wa	ko nter Well Disinfected		/day/yr sample wa K No	s
5 TYPE OF C	ASING USED:			Wronght in		8 Concrete tile				
1 Steel	3 RMP (SR)						etile CASING JOINTS: Glued X Clamped pecify below) Welded			
2 PVC	4 ABS			Fiberglass		SDR-26			readed	
Blank casing Dia	meter 5 in.	. to 25	;	ft., Dia		n. to	ft., Dia	in.	to ft.	
Casing height ab	•		in. ,		2.35	lbs. / ft.	Wall thickness or g		.214	
TYPE OF SCRE	EEN OR PERFORATIO	ON MATERI		-		7 PVC		sbestos-cemer	ıt	
1 Steel	3 Stainless Steel			iberglass		8 RMP (SR)	11 o	ther (specify)		
2 Brass	4 Galvanized steel		60	Concrete tile		9 ABS		one used (ope	n hole)	
SCREEN OR PERFORATION OPENING ARE:					uzed wrapped	l	8 Saw cut 11 None (open hole)			ole)
1 Continous slot	o min stor			6 W	ire wrapped		9 Drilled holes			
2 Louvered shut	ter 4 Key puncl	hed		7 To	rch cut		10 Other (spec	ify)		
SCREEN-PERF	ORATION INTERVAL	.S: fron	ո 25		ft. to 70	ft., Fron	n	ft. to		ft.
		fron			ft. to	ft., Fron	n	ft. to		ft.
GRA	VEL PACK INTERVAI		n 24		ft. to 70	ft., Fro		ft, to		ft.
C CDOUP MAI	FERIAL: 1 Neat cem	fron			ft. to	ft., Fro		ft. to		<u>ft.</u>
6 GROUT MA' Grout Intervals:			2 Ceme	ent grout		entonite	4 Other			
		it. to 24 Intermination:	•	ft. From	fì	to 10 Livest	ft. From	44.41	ft. to	ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines				7 Pit privy	7.	11 Fuel s	• .	14 Abandon water well		
2 Sewer lines 5 Cess pool				8 Sewage la			izer storage	15 Oil well/Gas well 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard	-	13 Insect	ticide storage	None Apparent		
Direction from w	1.8	PA					How many fee		ubbarene	•
FROM TO	LII	THOLOGIC	LOG		FROM	1 TO		GING INTER	VALS	
0 2	topsoil			<u> </u>						
2 10	silty sand			····						
10 32	medium to		sand							
32 780	blue shale	е					,			
	,									
		· · · · · · · · · · · · · · · · · · ·								
								· · · · · · · · · · · · · · · · · · ·		*********

		The state of the s					·····			
			A				·			
7 CONTRACT	OR'S OR LANDOWNER'S	CERTIFICATIO	on: This w	ater well wa	s (1) constru	cted, (2) reconst	ructed, or (3) plug	ged under m	y jurisdiction an	d d
was completed on (mo/day/year)										
Well Contractor's License No236										
Under the bus	iness name of.从品工	b werr	Ru	mp_ser	Arce''']	.ກ⊆ by (sig	nature)	. , , , ,	90	
							J	odd 🖒	. Harp	