LIOCAT	TON OF WA	TER WELL.	FRACTIO	N	Water Well R	ecord For	m WWC-5	KSA 82a-1212 Section Number	Tanana to Ata - Ata - A		Pongo Namban	
1 LOCATION OF WATERWELL:					TC7	C+ 4.4			Township Numb		Range Number	
Sedgwick SW 1/4 Distance and direction frem nearest town or city street address of well if loca				E 1/4	SW	1/4	31	т 25	<u>s</u>	R 1E EW		
		•			•	-11	. ~-					
52 WAT	4 V A TERWELL O	lley Park	, Bob	Nava monta a la la		<u>атте</u> ,	<u>cer</u>	<u>nter, Ka</u>	เมรสร			
<u></u>	T. ADRESS,		Valley	Park	Drive				Board of	f Agriculture, Divivsio	on of Water Resource	
	STATE, ZIP		ev Cent						Арр	Application Number:		
		OCATION WITH			ETED WEL	Ĺ	30	ft. EL	EVATION:			
AN "X"	IN SECTION	N BOX:	Depth(s) gr	oundwater	Encountere	d 1		ft.	2	ft.	3 ft.	
l †			WELL'S STA			20	FT.	BELOW LAND SU	URFACE MEASURED ON	N mo/day/yr O	9/30/1997	
	NW	NE	Pu	mp test dat	ta: W	ell water	was	ft.	after	hours pumping	gpm	
يو ا			Est. Yield		•	ell water		ft.	after	hours pumping	81	
M M		1 1 12	Bore Hole Dia		12 in.		30	ft.	and	in. to		
''			WELL WATÉ 1 Domesti		JSED AS: Feedlot		lic water	er supply	8 Air conditioning 9 Dewatering	11 Inject	ion well r (Specify below)	
1 1	sw	SE	2 Irrigatio	٠.	Industrial				10 Monitoring well	12 Other	(Specify below)	
	X		-	·AL						' : If ves. mo/da	v/vr samnle was	
1	h-	s	Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr submitted Water Well Disinfected? Yes X							No No		
5 TY	PE OF CA	SING USED:		4	Wrought ir	on.	8	Concrete tile	CASING JOI		X Clamped	
1 Steel 3 RMP (SR)									(Specify below) Welded			
2 PVC	!	4 ABS	7				DR-26			ided		
Blank ca	_ sing Diam	eter 5	in. to 24	l.	ft., Dia	ı	in.	to	ft., Dia	in. to	ſt.	
		e land surface 12		in, ,	weigh	2.3		lbs. / ft.	Wall thickness or ga		.214	
1		N OR PERFORAT	ION MATER		Fiberglass			PVC RMP (SR)		sbestos-cement		
1 Stee		3 Stainless Steel			Concrete tile			ABS		ther (specify)	(مام)	
		4 Galvanized steel		J. (CALDIO	8 Saw cut	one used (open h 1	ioie) 1 None (open hole)	
1	N OR PER 10us slot	RFORATION OPE 3 Mill slo				Gauzed wi Vire wrap			9 Drilled holes	1	A TOME (Open Hote)	
	red shutter					orch cut	· Ivo		10 Other (speci	ify)		
1		RATION INTERV		m 24	/ 1	ft. to 3	30	ft., Fro	` -	ft. to	ft.	
			fro			ft. to	, •	ft., Fro		ft. to	ft.	
GRAVEL PACK INTERVALS: from 24							30	ft., From		ft. to	ft.	
from					ft. to			ft., From		ft. to	ft.	
6 GRO	UT MATI	ERIAL: 1 Neat co	ement	2 Cem	ent grout		3 Ben	tonite	4 Other			
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to												
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			1;	7 Pit privy			10 Livestock pens		14 Abandon water well			
				8 Sewage lagoon			11 Fuel storage 12 Fertilizer storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit									Fertilizer storage 16 Other (specify below) nsecticide storage			
1			ge pit) recuyal	ı 4			How many feet	+? 2 ∩		
Direction from well? North FROM TO LITHOLOGIC LOG				LOG	FRO			ТО			NG INTERVALS	
0	4	topsoil										
4	12	clay								·		
12	18	fine san										
18	30	medium s	and					1	·			
								_				
 												
<u> </u>								-				
			 		_,							
												
									and the state of the second section of the second section is			
⁷ cor	NTRACTO	R'S OR LANDOWNER	R'S CERTIFICATI	ON: This v	water well w	/as (1) <u>cc</u>	onstruct	ed, (2) recons	tructed, or (3) plug	ged under my j	urisdiction and	
1 11100 0												
Was Co	ompleted	on (mo/day/year)	236	.307.TB		and	this rec	ord is true to	the best of my kno	wledge and bel	lief. Kansas Water	
Well C	ompleted ontractor	r's License No	236	Th	is Water We	ell Recor	rd was c	ompleted on (mo/day/yr)	wiedge and bei 10/.02/.	9.7	
Well C	ompleted ontractor	on (mo/day/year) 's License No ness name of.从유	236	Th	is Water We	ell Recor	rd was c	ompleted on (mo/day/yr) inature)	wiedge and belond $10/02/$ odd 3 .	<u>9.7</u>	