I ogu	TION OF HI	TDD	FRACTION	.T	Water We	ll Record	Form WWC-						
لثا		ATER WELL:			a			Section Number	1		Range Numb	er	
Sedgwick NE 1/4 Distance and direction frem nearest town or city street address of well if locate					SW 1/4	S	1/4	31	т 25	S S	R 1E	E/W	
316 E. Valley Park Drive Valley Center, Kansas													
WATER WELL OWNER: NORDSTADT, Cindy													
RR#, ST. ADRESS, BOX#: 316 E. Valley Park Drive RR#, ST. ADRESS, BOX#: Board of Agriculture, Divivsion of Water Resource												urce	
CITY,	STATE, ZIF		ey Center, Kansas							Application Number:			
	E WELL'S I		DEPTH O				35		LEVATION:				
ALV A	IN SECTIO	N	Depth(s) gro				1	ft.	2	ft.	3	ft.	
			WELL'S STAT	FIC WA? np test d					SURFACE MEASURE		09/23/1		
1	NW	1 1	Est. Yield	np test u			ater was ater was	ft. ft.	after after	hours pum		gpm	
1Mile A		1 1 1	Sore Hole Dian	neter			o 35	ft.	and	hours pum in.	րուց to	gpm ft.	
∑w		1 1 1 1 1 1 1	VELL WATE				Public wate		8 Air condition		njection well		
1	SW	SE	1 Domestic	:	3 Feedlot	6	Oil field wa	iter supply	9 Dewatering	12 C	other (Specify bel	ow)	
	Xw		2 Irrigation	n	4 Industrial	1 7	Lawn and g	garden only	10 Monitoring w				
Was a chemical/bacteriological samp							·						
5 TVI	DE OF CA	ASING USED:	submitted			_			Vater Well Disinfe		X No	_	
1 Steel		3 RMP (SR)			5 Wrought 6 Asbestos-			3 Concrete tile 9 Other (Specify	CASING helow)	<u> </u>	lued X Clampe /elded	ed	
2 PVC		4 ABS			7 Fiberglas			DR-26	belowy		hreaded		
	sing Diam		in. to 24		Ü	Dia	in.		ft., Dia	in.	to f	ft.	
		ve land surface 12		in.,	-	ght 2.		lbs. / ft.	Wall thickness		.214		
TYPE O	F SCREE	EN OR PERFORATI	ION MATERI				,	7 PVC	1	0 Asbestos-ceme	nt	_	
1 Stee		3 Stainless Steel			5 Fiberglass			8 RMP (SR)		1 other (specify			
2 Bras		4 Galvanized steel		O	Concrete t			9 ABS	8 Saw cut	2 None used (op	•	- h -1-\	
SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot						5 Gauzed wrapped 6 Wire wrapped			8 Saw cut 11 None (open hole) 9 Drilled holes				
	red shutte					Torch	• •		10 Other (s				
		RATION INTERVA		1 24	,		to 32	ft., Fre	`	ft. to		ft.	
			fron			ft. 1		ft., Fr		ft. to		ft.	
GRAVEL PACK INTERVALS: from 24					ft. to 35			ft., From		ft. to		ft.	
from					ft. to			ft., Fr	om	ft. to		ft.	
	UT MAT			2 Cen	nent grout		3 Be	ntonite	4 Other				
	tervals:		ft. to 24		ft. Fron	n	ft.		ft. From		ft. to	ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines					7 Pit privy			10 Livestock pens 11 Fuel storage		14 Abandon water well		Ц	
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fertilizer storage		15 Oil well/Gas well 16 Other (specify below)			
	rtight sew	•			_	9 9			cticide storage				
Direction	n from we	ll? East	-						How many	feet? 25			
FROM	TO	L	ITHOLOGIC	LOG			FROM	ТО	PLU	JGGING INTER	RVALS		
0	3	topsoil											
3 19	19 22	clay fine sand											
22	27	medium sa								•			
27	29	clay											
	35	medium sa	and										
				**									

											•		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and													
was completed on (mo/day/year)													
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)													
21,401	244	Ollanmin	<u></u>						g.,	Todd S	. Haro		
										. —	T^{-}	!	