		WATER W	VELL RE	CORD	Form WV	NC-5 K	(SA 82a-12	212		
1 LOCATION OF WATE	ER WELL:	FRACTION				TION NUMBE		IIP NUMBER	RANGE N	
Sedgwick		SW 1/4		1/4 <b>SE</b>	1/4	31	T	25 S	R 11	E/W
Distance and direction from nearest town or city street address of well if located within city?  1/2 mile East of Meridian & 200' North of 77th St. North  Valley Center, Kansas										
2 WATER WELL OWNER: VALLEY CENTER, CITY OF										
RR#,ST. ADDRESS		D. Box 188	,					Board of Agri	iculture, Division of V	
CITY	STATE: Val	lley Center, K	ansas		Z	IP CODE: 6	57147	Application Nun	nber: 2004	10203
3 LOCATE WELL'S L WITH AN "X" IN SE	OCATION 4	DEPTH OF COM	PLETED WE	ELL:	<b>42</b> ft.		ELEVATION:			
N N		Depth of groundwate	er Encounter	red:	f	t.		ft.		ft.
!	\	WELL'S STATIC W	ATER LEVE	∟ 16	FT. BELC	OW LAND S	URFACE MEAS	SURED ON mo/o	day/yr: 9/13	3/04
NW	NE		ump test data		vater was		ft. after		of pumping @	gpm
w Wile		Est. Yield: Bore Hole Diamete	gpm er <b>12</b>		water was	42 "	ft. after		s of pumping @	gpm
£ " ;	1	WELL WATER TO			10	<b>42</b> ft	. and	in.	to	ft. ction well
sw	SE		3. Feedlot		water supply	7. Lawn	and garden or	9. Dewateri	119	pecify below)
		•	4. Industrial		l water suppl	y 8. Air co	nditioning	10. Monitoria	•	
S		Was a chemical/bact submitted	teriological sam	nple submitted	to Department?	YES Was '	NO Water Well Disi		what mo/day/yr v	vas sampie NO
5 TYPE OF CA				<b>-</b>	9.0	Other (Specif		ASING JOINTS:	Glued	Threaded
1. Steel	3. RPM (	•		7. Fibergla	SD.	R-26	y 5610W) - 57		Welded	Clamped
2. PVC	> 4. ABS	6. Asbesto	os-Cement	8. Concrete	e tile	IX-20				
Blank casing diamet	er 8	in. to	20 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above		12 <sub>in.,</sub>		Weight:	5.52	lbs. / ft.	Wall	thickness or gaug	ge No332	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)										
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)  2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)										
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)										
					40					
SCREEN - PERFOR	ATION INTERVAL			ft.	to 42	ft.,	From	ft.	to	ft.
CDAVEL D	OK INTERVALO	From		ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PA	ACK INTERVALS:			ft.	to 42	ft.,	From	ft.	to	ft.
6 GROUT MATER	DIALS:	From		ft.	to	ft.,	From	ft.	to	ft.
Grout Intervals:	1.1466	at cement O ft. to		ent Grout t., From		3. Bentonite			onite hole pl	•
What is the nearest s			20 1	t., From			ft.,	From	ft. to	ft.
1. Ooptio tank						ck pens	13. <b>Inse</b> d	13. Insecticide storage 15. Oil well/Gas well		
2. Sewer lines	5. Cess	s Pool	8. Sewage la	agoon	11. Fuel sto	•	14. <b>Abar</b>	don water well	16. Other (sp	ecify below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage  Direction from well? South  How many feet? 15										
From To	T	LITHOLOG	IC LOG		From	То	How	many feet? 15	OGIC LOG	
0 4	topsoil	LITTIOLOGI	IO LOO		110111	1 '		LITTIOLC	Olo Loo	
4 12	clay									
12 22	sand					<del> </del>				
22 24 24 42	clay sand				-	<del> </del>				****
24 42	Sanu				<u> </u>	†		R	ECEIVE	D
	ļ					<u> </u>		0	CT 0 4 20	04
	*****5 tota	****								
		BUREAU OF WATER								TER
				77.4						
					-	+				
7 Contractor's or	Landowner's Cod	tification: This wate	r well was 1	Construct	200 0 7	constructe	d or 3.	plugged	under my jurisdic	tion and
was completed on		9/13/2004					knowledge and		and my jurisuit	
						•	•		//2004	
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 9/15/2004										
under the business	sname of <b>Har</b> l	p Well & Pum	ıp Service	Inc.	by (s	ignature)	<	7.11 8	11	