CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

(to rectify facking or incorrec	County: Sedawick
Location listed as:	Location changed to:
Section-Township-Range: $2 - 255 - /\omega$	6-255-1E
Fraction (¼ ¼ ¼):	NW NW NE
Other changes: Initial statements: Harvey County	
Changed to:	Y
Comments:	
verification method: <u>Well address</u> , area w	nap on internet, and
	initials: ORL date: 5/19/2005
submitted by: Kansas Geological Survey, Data Resources Library, 1930 C to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jac	

	WATER WELL REC	CORD Form WWC-5	KSA 82a-1				
1 LOCATION OF WATER WI	ELL: Fraction 1/4	nw 1 ne 1	Sec	tionNumber	Township Numbe	r Range Number S R E/W	
Distance and direction from ne	arest town or city street		vithin city?				
	ory Roberts	thst.n.			Board of Agricult	ure, Division of Water Resource	
City, State, ZIP Code :	Sedawick,	KS	80		Application Numb	oer:	
3 LOCATE WELL'S LOCATION AN "X" IN SECTION BOX:	4 44(1)([]	COMPLETED WELL	<u></u>	ft. ELEVATI	ION:	A.C.	
N X IN SECTION BOX:	— Depth(s) Grou	C WATER LEVEL			۷	. ft. 3 ft. yr	
	Pu	mp test data: Well water	was	ft. af	ter ho	urs pumpinggpn	
NW NE -						urs pumpinggpn	
	1 Domestic				•	11 Injection well12 Other (Specify below)	
W 1 1	E 2 Irrigation	4 Industrial	omestic (law	n & garden)	0 Monitoring well		
SW SE-	Was a chemical mitted	al/bacteriological sample s	ubmitted to [es; If y ter Well Disinfected? Ye	ves, mo/day/yrs sample was sub No	
5 TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concre	te tile	CASING JOINTS:	GluedX Clamped	
1 Steel 3 1	RMP (SR)	6 Asbestos-Cement		specify below)		Welded	
	ABS	7 Fiberglass				Threaded	
l .	5in. to	. <i>&.U</i> ft., Dia	1100	in. to	ft., Dia	ft	
Casing height above land surfa		in., weight	7 PV		os./π. waii tnickness or 10 Asbestos	guage No.	
	Stainless Steel	5 Fiberglass		P (SR)		pecify)	
	Galvanized Steel	6 Concrete tile	9 ABS		12 None use	ed (open hole)	
SCREEN OR PERFORATION 1 Continuous slot	OPENINGS ARE:	5 Guaze 6 Wire v	ed wrapped vrapped		8 Saw cut 9 Drilled holes	11 None (open hole)	
2 Louvered shutter	4 Key punched	7 Torch				ft	
SCREEN-PERFORATED INTE	RVALS: From	(40) ft. to	80	ft., From		ft. toft	
000000	From	ft. to	(A)	ft., From		ft. toft ft. toft	
GRAVEL PACK INTE						. ft. toft	
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bento	onite 4	Other		
1	-	. 7 ft., From	tt. 10			ft. toft	
What is the nearest source of p	4 Lateral lines	7 Dit prim		10 Livesto	•	14 Abandoned water well 15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	7 Pit privy 8 Sewage la	anoon	11 Fuel sto	•	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	agoon		ecticide storage		
Direction from well?	with east				feet? 70		
FROM TO	LITHOLOGIC	CLOG	FROM	то	PLUGGIN	NG INTERVALS	
0 2 70	osoil						
2 18 CH	24						
18 26 gra	eh Shale						
	ie Shale						
37 66 blu	mestone e Shale						
66 30 lir	nostral						
11	restone						
7 00170407070	2014/15010 25555	TION TO 1		7			
CONTRACTOR'S OR LAND completed on (mo/day/year)	JOWNER'S CERTIFICA		•			d under my jurisdiction and wa my knowledge and belief. Kansa	
Water Well Contractor's Licence		This Water \		was completed	on (mo/day/vr) 5. I	0.05	
under the business name of	hace Dr	Ellina			ignature)	10	
INSTRUCTIONS: Use typewriter or ba	all point pen. PLEASE PRESS F	FIRMLY and PRINT clearly. Please	fill in blanks, unde	erline or circle the co	orrect answers. Send top three	copies to Kansas Department of Health	
and Environment, Bureau of Water, G	eology Section, 1000 SW Jacks	on St., Suite 420, Topeka, Kansas	66612-1367. Tele	phone 785-296-552	22. Send one to WATER WELL	OWNER and retain one for your	

records. Fee of \$5.00 for each constructed well.