				WATER W	VELL RECO	ORD For	n WWC-5	KSA 82a-	1212 ID	No					
1 LOCATION OF WATER WELL:								tion Number	Tov	wnship Number		Rar	Range Number		
			NW		NW 1/2	SW	1/4	31	Т	25	S	R	01	Ε	
Distance an	id direction fro 124 S. Meric	m nearest to	own or city stre	eet addres	s of well it	f located wi	thin city?								
	WELL OWNE		Tormey	Sarvio	•										
_	dress, Box #		433 N. I						_						
City State	ZIP Code		Valley (147						vision of V	/ater Reso	urces	
LOCATE	WELL'S LOC	CATON WIT													
	N SECTION B		4 DEPTH	OF COM	PLETED \	WELL.	18	ft. ELE	VATION:		134	14.67 T	oc		
1			Denth(e) C	roundwate	ar Encoun	tarad 1	13	<u>}f</u>	t. 2		ft.	3		ft.	
	NW	NE	WELL'S ST	TATIC WA	TER LEV	EL 13	6.61 ft.	below land	surface me	easured o	n mo/day	//yr	3-9-05		
6		i -		Pump tes	st data: \	Well water v	vas		ft. after		hours	pumping		gpm	
₩ W	(† 	╼┾╼╼┫╵	Est. Yield	 -	gpm: \	Well water v	vas		ft. after		_ hours	pumping		gpm	
	 		Bore Hole I	Diameter	12.5	in. to	18	3	ft. and			in. to		ft.	
	sw	- SE	WELL WAT	TER TO B	E USED A	AS: 5 Pul	olic water s	upply supply	8 Air	condition	ing	11 Injectio	on well (Specify b	alous)	
l↓ L												12 Other	(Specify be	elow)	
	S		1				_	len (domest							
				πical/bact	eriologica	ı sample su	omitted to I	Department?				-		was	
5 TYPE OF	F BLANK CAS	SING HOED	submitted		14/	. I	0.0		ater Well D						
					Wrough				CAS	ING JOIN			Clamped		
1 Ste		_	(SR)					(specify belo	-			ded	F1 .		
	C	4 ABS			Fibergla	SS					Thre	aded	Flust		
Blank casing	g diameter _	4	in. to	5	ft., Dia		in. t	۰	ft., Dia			in. to		ft.	
Casing heig	ht above land	surface	Flushmou	nt in.,	weight	0	.36	lbs./ft.	Wall thicl	kness or g	gauge No)	Sch. 40		
			ON MATERIAI												
1 Ste 2 Bra			nless steel					RMP (SR)		11 Other	(specify)			
	R PERFORAT		anized steel		Concrete			ABS				en hole)	e (open h	ا (ماد	
	ntinuous slot		Mill slot			6 Wire wr				ed holes		i Non	e (open n	ne)	
			Key punche			7 Torch c									
	ERFORATED							ft.	From	ei (specii	y)	to.			
								ft.							
GRA	AVEL PACK II	NTERVALS:	From	4	ft.	. to	18	ft.	From		^{16.}	to		't.	
								ft.							
6 GROUT	MATERIAL:	1 Nea	t cement	2 Ce	ment arou		3 Ban	fonite	4 Other				BEILL 1811 - 1814	- 16.	
Grout Interv	ale From	1	ft to	4	# From		3 Dell	OTALE	4 00161	·					
What is the	nearest source	e of nossible	ft. to	. 	it. From		п. т		π. stock pens	From	14 1	π. το	water well	^{π.}	
	ptic tank	e or possible	4 Lateral			Pit privy		11 Fuel	atorogo		15 0	il well/ Gas		. }	
	wer lines		5 Cess pool 8 Sewage lagoo				•								
3 Wa	tertight sewer	lines	6 Seepag			Feedyard			cticide stor	•		(-	,,	1	
Direction fro	m well?					-		How many	/ feet?	•					
FROM	то	CODE		THOLOGI	IC LOG		FROM	TO		PLU	GGING	NTERVAL	_S	<u>.</u>	
<u>0</u> 1	1 6.5		sphalt												
6.5	6.5 9		ilty Clay and												
9	11		ilty Clay					+:							
11	13	v	ery Silty C	lay										.	
13	18		and												
							-	-							
								+							
7 CONTRA	ACTOR'S OR	LANDOWN	ER'S CERTIF	ICATION:	This water	er well was	(1) construc	cted, (2) rec	onstructed	, or (3) plu	gged und	der my juris	sdiction an	d was	
	on (mo/day/yr)			3-11-0				is record is	/ 1		_		//		
Water Well	Contractor's L	icense No.			31			Vater Well					8-9-		
under the bu	usiness name	of	Geotechi	nical Se	ervices	, Inc.	by (sid	nature)	イリス	110		7	7		
INSTRI	UCTIONS: Ple	ease fill in blan	nks and circle th	ne correct a	enswers. S	end three co	pies to Kans	as Departme	nt of Health	and Envir	onment,	Sureau of W	Vater, 1000	sw	
Jackso	11 31., 318. 420,	торека, Kan	sas 66612-1367	 l'elepho 	ne: 913-29	96-5545. Se	nd one to W.	ATER WELL	OWNER at	nd retain o	ne for you	r records.			