			WATER W	ELL RE	CORD	For	m WW	/C-5 K	SA 82a-121	2		
	N OF WATER	RWELL:	FRACTION	NIE	_	_	1	ION NUMBER	I .		RANGE N	
☐ Sedgy			SW 1/4	NE		E 1	/4	31	T 2:	5 S	R 1	E E/W
		nearest town or city:			within city?							
	astridge R WELL O		ey Center, K DIS, Todd	a115a5								
	ADDRESS,		Eastridge							Board of Agric	culture, Division of	Water Resource
, •	CITY, S		ey Center, Ka	nsas			ZIF	P CODE:		Application Num	ber:	
3 LOCATE	WELL'S LO	CATION 4	DEPTH OF COME	PLETED W	/ELL:	35	ft.		ELEVATION:			
WITH A	N "X" IN SEC' N	TION BOX:	pth of groundwate				ft.			ft.		ft.
	- 		ELL'S STATIC W			F	T. BELO	W LAND SU	JRFACE MEASU	JRED ON mo/d	ay/yr: 12/1	6/05
	-NW -	-NE		ımp test da		l water	was		ft. after	hours	of pumping @	gpm
		','-	Est. Yield:	gpm	We	ll water	was		ft. after	hours	of pumping @	gpm
Wile		E B	ore Hole Diamete	r 12	2 in.		to 3	5 ft.	. and	in.	to	ft.
~			ELL WATER TO							9. Dewaterin	ng 11. Inje	ection well
	· SW ·			Feedlot					and garden only	10. Monitorin		specify below)
			 Irrigation 4 Vas a chemical/bacte 	. Industria				8. Air cor	NO		vhat mo/day/yr	was sample
	S		bmitted	stiological sa	imple submitte	o to Dep	ai ii iieiii:		Water Well Disin		YES	NO
5 TYF	PE OF CASI	NG USED:	5. Wrough	t Iron	7. Fiberg	lace	9. Ot	her (Specify	/ below) CAS	ING JOINTS: (Glued	Threaded
	. Steel	3. RPM (SF	₹)					R-26	,		Welded	Clamped
\bigcirc 2	. PVC	4. ABS	6. Asbesto		8. Concr	ete tile	ODI	.C-20				
Blank cas	ing diamete	r 5	in. to	20 ft.	, Dia	•	in.	to	ft.,	Dia. i	in. to	ft.
Casing he	eight above	land surface:	12 in.,		Weight:	2.	.35 lb	os. / ft.	Wall th	ickness or gaug	e No214	1
		R PERFORATION			7 71/0				44.0	h /:£ .\		
1. Stee	-	Stainless Steel	5. Fiberglass		7. PVC)	9. Al			her (specify)	h - I-)	
2. Bras	s 4.	Galvanized	6. Concrete	Tile	8. RMP (SR)	10. A	sbestos-Ce	ment 12. No	one used (open l	noie)	
		RATION OPENING									44 11 (
1. Conti	nuous slot	3. Mill sl	ot 5.	Gauzed w	rapped		7. To i	rch cut	9. Drill	ed holes	11. None (open hole)
2. Louve	red shutte	4. Key pı	unched 6.	Wire wrap	ped		(8. Sa	w cut	10. Oth	er (specify)		
SCREEN -	PERFORA	TION INTERVAL	From	20	ft.	to	30	ft.,	From	ft.	to	ft.
			From		ft.	to		ft.,	From	ft.	to	ft.
G	RAVEL PAG	CK INTERVALS:	From	20	ft.	to	35	ft.,	From	ft.	to	ft.
			From		ft.	to		ft.,	From	ft.	to	ft.
6 GROU	JT MATERIA	ALS: 1. Neat		0.0				B. Bentonite			onite hole p	
<u> </u>	ntervals:	From 4	ft. to	2. Cen	nent Grout	om	ft.			From	ft. to	
		urce of possible co	ontamination:					to	ft.,			
1. Septic tank 4. Lateral lines 7. Pit privy). Livestock pens		13. Insecticide storage		15. Oil well/	
2. Sewer lines 5. Cess Pool 6. Sewage lagoon 11. 1 del storage 14. Abandon water wen									•	pecify below)		
3. Water	tight sewe	r line 6. Seepa	ge pit	9. Feed ya	rd	12.	Fertilize	r storage			None A	pparent
Direction 1	_								How m	any feet?		
From	То		<u>LITHOLOGI</u>	C LOG		-	From	То	ļ	LITHOLO	GIC LOG	
0	4	topsoil						-				· · · · ·
30	30 35	medjum sand shale	<u>L </u>			\dashv						
												······
			-		******	-						
						+						
7 .				<u> </u>		\prec				nlugged	under my lusical	otion and
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and												
was completed on (mo/day/year) 12/16/2005 and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/19/2005												
under the business name of Harp Well & Pump Service Inc. by (signature) $\int_0^r dd S$. $\int_0^r dr p$												