WATER WELL REC		Form WWC-	5		er Resources; App. No. L		
1 LOCATION OF WA County: COG	TER WELL:	Fraction 52 1/4 56 1/4 5	E 1/4	Section Number	Township Number T 25 (S)	Range Number R E/W	
Distance and direction	from nearest town or cit	ty street address of we	ell if	Global Positioning	g Systems (decimal deg	rees, min. of 4 digits)	
located within city?				T '4 1			
2 WATER WELL OW	NER: Claren	co Back	7	Longitude:Elevation:			
RR#, St. Address, Box	# 3020 &	1015+5+1A	$\supset$ $ $	Datum:			
City, State, ZIP Code	Un O Our	1018FS+1 A Center ik	ء ک	Data Collection	Method:		
3 LOCATE WELL'S	4 DEPTH OF COM	PLETED WELL	<u> </u>	<b>O</b> ft.			
LOCATION	D 1() G 1 .	<b></b> 1 (1)		G (2)	0 (0)	0	
WITH AN "X" IN SECTION BOX:	Depth(s) Groundwater					ft.	
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Est. Yieldgpm	: Well water was		ft. after	hours pumping	gpm	
NW   NE	WELL WATER TO B	E USED AS: 5 Publi	ic water	supply 8 Air			
W E	1 Domestic 3 Feed 2 Irrigation 4 Ind		c (lawn )	pply 9 Dev	vatering 12 Oth	ner (Specify below)	
SW   SE     <b>X</b>	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
Sample was submitted							
S	(CDD			G L GD I	a top ma		
5 TYPE OF CASING U 1 Steel 3 RMI				CASIN below)	G JOINTS: Glued	Clamped	
Blank casing diameter in to 60 ft. Diameter in to ft. Diameter in to ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 40 ft. to 50 ft., From ft. to ft.							
SCICLEIV-I EIG ORTTEL	From	ft. to	د میاد هوی یعن جمعه	ft., From	ft. to	ft.	
From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well							
Direction from well?	East	H		y feet? 1.2.8.			
FROM TO	LITHOLOGIC	LOG	FROM	TO	PLUGGING INTI	ERVALS	
3 70 3	DO SOLL	,		-			
19 50 0	ed Sand E	GRAIRD					
11 00 11	THE JULY ?	year.			11		
		<u> </u>					
		· · ·					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of		As Olice		cord was completed y (signature)	or (mo/day/year)	r.j.1.4.j9.j	
INSTRUCTIONS: Use typewi	riter or ball point pen. PLEA	SE PRESS FIRMLY and P.	RINT clear	ly. Please fill in blank	s, underline or circle the co		
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html.