WATER WELL RECORD		Divisio	on of Water Reso	ources; App. No.	
1 LOCATION OF WATER WELL County Sedgwick		Sei	ction Number	Township Number	Range Number
County: Sedgwick Distance and direction from nearest tow	n or city street address of w	ell if Glo	bal Positioning	System (decimal deg	rees, min. of 4 digits)
located within city?	•	La	titude:		
9500 N Hillside		Lo	ongitude:		
2 WATER WELL OWNER: Peter Love		Ele	evation:		
RR#, St. Address, Box # : 934 N Vasser City, State, ZIP Code : Wichita, Ks 67208		Da	Datum:		
3 LOCATE WELL'S 4 DEPTH O	III. KS 0/208	120	ita Collection N	netnod:	
	OF COMPLETED WELL	120		II.	
LOCATON WITH AN (477 IN Double) Cro	understan Engarentanad I		A 2	A 2	A
WITH AN "X" IN Depth(s) Gro	undwater Encountered I	40 0 0	π. 2	R. 3	II.
SECTION BOX: WELL'S ST.	ATIC WATER LEVEL	40 π. b	elow land surfa	ice measured on mo/o	iay/yr
N Pur	np test data: Well water w gpm: Well water w	as	tt. after	hours pump	inggpm
Est. Yield 3	gpm: Well water w	as	tt. atter	hours pump	ing gpm
	ER TO BE USED AS: 5 P				
w E Somestic	3 Feed lot 6 Oil field wa	iter supply	9 Dew	atering 12 Oth	er (Specify below)
	4 Industrial 7 Domestic (I	awn & gar	den) 10 Mon	itoring well	
SE-			_		**
Was a chemi	cal/bacteriological sample s				
S Sample was submitted Water Well Disinfected? Yes x No 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued x Clamped					
5 TYPE OF CASING USED:	5 Wrought Iron 8	Concrete 1	tile CAS	ING JOINTS: Glued	x Clamped
Steel 3 RMP (SR)	6 Asbestos-Cement 9	Other (spe	ecify below)	Welde	ed
2) PVC 4 ABS	7 Fiberglass	``	•	Threa	ded
Blank casing diameter 5 in. to	100 ft Dia	in.	to ft	. Dia in.	to ft.
2) PVC 4 ABS Blank casing diameter 5 in. to Casing height above land surface	12 in. Weight	2.40	lbs./ft. Wa	Il thickness or gauge	No. 160nsi
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:	-=:::			
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)					
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
ISUKEEN UK PEKPUKA LIJIN OPENI	NUS ARE:				
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punc	5 Guaze wrapped	7 Torch c	ut 9 Drill	ed holes II None	(open hole)
SCREEN DEDECRATED INTERVAL	S. From 100	o Saw Cu B to	1 10 Ouic	om ft t	
SCREEN-PERFORATED INTERVAL	Erom	P+ +^	A E.	om frt	^ ft
CDAVEL DACK DITERVALS.	From 1	11. 10	II. FI	0111 11. t	0
UKAVEL PACK INTERVALS:	From 40	ii. 10	120 II. FF	OIII	0
GRAVEL PACK INTERVALS:	rom	11. 10	п. гг	om 11. t	0n.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 3 ft. to 20 ft. From ft. to ft. From ft. to ft.					
Grout Intervals From 3 ft.	to 20 ft. From	ft. to	ft.	From	ft. to ft.
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage (16) Other (specify					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Open field					
Direction from well?	Ho	w many fe	et?		
FROM TO LITH	OLOGIC LOG	FROM	TO	PLUGGING INTI	ERVALS
0 1 Top soil					
1 3 Clay					
3 120 Shale					
				· · · · · · · · · · · · · · · · · · ·	
					
	:				
7 CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION	: This water	er well was (1) c	onstructed, (2) reconstru	icted, or (3) plugged
under my jurisdiction and was completed or				s true to the best of my k	
Kansas Water Well Contractor's License No				l on (mo/day/year)9	
under the business name of Weninger D		y (signature		<u> </u>	
INSTRUCTIONS: Please fill in blanks or circle					
Geology Section, 1000 SW Jackson St., Suite 420), Topeka, Kansas 66612-1367. Te	lephone 785-	-296-5522. Send of		
your records. Fee of \$5.00 for each constructed v	ven. visit us at http://www.kdheks	s.gov/waterwo	C11.		