WATEI	R WELL I	RECORD	Form WWC-	5	Division of W	ater Resources; App. No.	•
1 LOC	ATION ØF	WATER WELL:	Fraction		Section Number	r Township Number	
Coun	ty: Sec	egurob	Fraction SE 14 NW 14 S	£ 1/4	31		R / E/W
Dista	nce and direc	tion from nearest town or	r city street address of we	ll if		ing Systems (decimal de	grees, min. of 4 digits)
locate	ed within city	1 4/10 Ca	stridge		Latitude:		
		OWNER: MALL	0, ~	1.1	Longitude: _		
Z WA	St. Address			SOL	bevation:		
	State, ZIP C		Costridge		Datum:	Mashadi	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
	ATE WELI ATION	78 4 DEPTH OF CO	WIPLETED WELL	.40		It.	
	WITH AN "X" IN Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.						
	ΓΙΟΝ BOX:	BOX: WELL'S STATIC WATER LEVEL					
	N Pump test data: Well water wasft. after hours pumping						
	Est. Yieldgpm: Well water wasft. after hours pumping						
NV	WELL WATER TO BE USED AS: 5 Public water supply  8 Air conditioning 11 Injection 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Sp.						
w	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
	2 Irrigation 4 Industrial 2 Domestic (lawn & garden) 10 Monitoring well						
SW	Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yrs						
	Sample was submitted						
Sample was submitted							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued							
		RMP (SR) 6 Asbes					Clampod
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Wall thickness or guage No. 26.							
Casing h	eight above	land surface	in., Weight/	60	lbs./ft. Wall	thickness or guage No.	26
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From 24 ft. to ft. from ft. from ft. to ft.							
From							
6 GROUT MATERIAL: 1 Near cement 2 Cement grout 3 Bentonite 4 Other							
Grout In			ft., From				
		ource of possible contami			11. 10		10 10 1111111111
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
	Watertight s	A 1 1 - 1	•			Oil well/gas well	
	n from well?				<del></del>		
FROM	ТО	LITHOLO	GIC LOG	FROM	1 TO	PLUGGING INT	ERVALS
	2	Toposoil					
90	172	my sa				W. B.	
17	40	Mad XIO	70		<u> </u>	115700	
	-				<del>                                     </del>		
****							
				1			
		7, 1947				man of the second secon	
			W. 18140				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 1.0. 24. Cand this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name of Mase Wailling by (signature) a Cloud							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline of circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							