			WATER	WELL	RECC	DRD F	orm W\	NC-5 k	(SA 82a-1	212			
1 LOCATION OF WATER WELL:			FRACTION				SEC	TION NUMBE	1	HIP NUMBER	RANGE NUMBER		
Sedgy				1/4 NE			1/4	17	<u> </u>	25 S	R	1E	E/W
1	W. 69th	m nearest town or city: V	alley Cent			city?							
	ER WELL C		RY, Tom	, 11111									
RR#,ST. ADDRESS,BOX #: 1311 W. 69th											griculture, Divisio	n of Wa	ter Resource
	CITY,		y Center,					IP CODE:		Application N	umber:		
	E WELL'S LC	CATION 4	DEPTH OF CO	OMPLETED	WELL	50			ELEVATION				
	N	<del></del>	oth of groundy					t.		ft.		C/1 0/	ft.
	×		ELL'S STATIC	WATER L Pump test		15 Well wat		OW LAND S	ft, after	SURED ON mo	o/day/yr: ( irs of pumping	6/18/(	
1 1	. W.A	NE	Est. Yield:	gp		Well wa			ft. after		irs of pumping	_	gpm gpm
Wile w		E B	ore Hole Diam	-	12	in.	to	<b>50</b> f	t. and	in.		to	ft.
-	- 8)44		LL WATER T			D. L.P.		7 1 0000	and garden or	9. Dewate	9	-	ion well
	-sw		. Domestic	3. Feedle 4. Indust		. Public wa . Oil field w	• • •		and garden of Inditioning	10. Monito		er (Spe	cify below)
	I		/as a chemical/b					YES	(NO)		, what mo/day	/yr wa	s sample
			bmitted					Was	Water Well Dis	infected?	YES	NO	)
	PE OF CAS I. Steel	SING USED: 3. RPM (SF	5. Wro	ught Iron	7.	. Fiberglass	9. 0	Other (Specif	fy below) C	ASING JOINTS			Threaded
l	2. PVC	) 4. ABS	,	estos-Ceme	ent 8.	. Concrete ti	ile SI	R-26			Welded	(	Clamped
	sing diamete		in. to	40	ft.,	Dia.	in.	to	ft.,	Dia.	in. to	)	ft.
Casing h	eight above	land surface:	12 in	.,	١	Weight:	2.35	lbs. / ft.	Wall	thickness or ga	uge No.	214	
TYPE OF SCREEN OR PERFORATION MATERIAL:													
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)													
2. Bras		. Galvanized	6. Concre	ete Tile	8.	RMP (SR)	10.	Asbestos-Ce	ement 12.	None used (ope	en hole)		
1		RATION OPENING		5 Causas			7 <b>T</b>	auah aut	0.0	rilled below	11 Nor	30 ( on	en hole)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open holes 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)												en noie,	
	ered shutte		unched	6. Wire w	• •				10. 0	ther (specify)			
SCREEN -	- PERFORA	TION INTERVAL	From	40		to		ft.,	From	ft.	to	)	ft.
	DAVEL DA	OK INTERVALS:	From	24	ft. Ft.	to to		ft.,	From	ft.	to		ft.
"	RAVEL PA	CK INTERVALS:	From	27	r II. ft.	to		ft.,	From	ft.	to		ft.
G GBO!	UT MATERI	A1 S:	From				,	ft.,	From	ft. Other her	to		ft.
$\Box$	Intervals:	ALS: 1. Neat of From 4	cement ft.	to <b>24</b>	ement ft.,	Grout From	ft	3. Bentonit	e ft.,	From	ntonite hole	to	<b>g</b> ft.
		ource of possible co											
1. Septi	c tank	4. Lateral	7. Pit pr	•		0. Livesto	-	13. Insecticide storage 15. Oil well/Gas well 14. Abandon water well 16. Other (specify below)					
2. Sewe	er lines	5. Cess F		8. Sewa			11. Fuel st	_	14. <b>Aba</b> i	ndon water we	10. 0010	i (Spc	city below,
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? Southwest									How many feet? 50 ft. plus				
From	To		LITHOLO	GIC LO	G		From	То	I		OGIC LO	3	
0	4	topsoil											
4	15	clay						ļ					
15 33	33	fine sand and clay and sand					1						
37	48	coarse sand											
48	50	shale											
							<del>                                     </del>						
	-								-				~~~
									.1				
		Landowner's Certific				constructed		econstructe		plugged	under my jur	isdictio	n and
was cor	mpleted on	(mo/day/year)	6/18/0	)9	and	I this record	is true to th	e best of my	y knowledge an	d belief.			
Kansas	Water Well	Contractor's Licens	se No. 236		Т	his water we	ell record w	as complete	ed on (mo/day/y	ear) 6/2	22/2009		
under th	ne business	name of Harp	Well and	Pump Se	ervice		by (s	signature)	7	rodd.	SHa	<b>r</b> h	