WATER WELL REC	CORD	Form WWC-			ater Resources; App. No. L		
1 LOCATION OF WA	TER WELL:	Fraction NW1/4 NW1/4 S	81/4	Section Number	T 25/S)	$R \longrightarrow W$	
Distance and direction	from nearest town or cit	y street address of we			ng Systems (decimal deg	rees, min. of 4 digits)	
located within city?				Latitude:			
2 WATER WELL OW	NER: Q	maland		Longitude:			
RR#, St. Address, Bo	x#: Ngon	Mc Caspey Stone Ridg enter Ko		Datum:	. •		
City, State, ZIP Code	30/3.	Stone Ridg	e ST	Data Collection	n Method:		
3 LOCATE WELL'S	4 DEPTH OF COMP	LETED WELL	40		ft.		
LOCATION			•				
WITH AN "X" IN	Depth(s) Groundwater Encountered (1)						
SECTION BOX: N	WELL'S STATIC WA	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 4.1.3.1.0  Pump test data: Well water was					
	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm						
NW NE	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
W E	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW   SE	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
	Sample was submitted						
s							
5 TYPE OF CASING U					NG JOINTS: Glued		
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
Rlank casing diameter	fiberglass in to	D ft Diameter		n to f	I hreaded	in to ft	
PVC 4 ABS 7 Fiberglass Threaded.  Blank casing diameter 5 in to ft., Diameter in to ft., Diameter in to ft.  Casing height above land surface / 6 in., Weight / 6 P. lbs./ft. Wall thickness or guage No. 2 4							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass 7 (VC) 9 ABS 11 Other (Specify)							
	vanized Steal 6 Conci		) 10 A	Asbestos-Cement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From $30$ ft. to $40$ ft., From ft. to ft.							
From ft. to ft., From ft. to ft. $f$ . $f$							
From							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other							
Grout Intervals: From							
What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer				_	Oil well/gas well	• • • • • • • • • • • • • • • • • • • •	
Direction from well? FROM TO	LITHOLOGIC		FROM	y feet?	PLUGGING INT	EDVAIC	
O 2	Low Soil	LOG	FROM	10	FLUGGING INT	ERVALS	
	Day						
2 13 C	med-Co	urse Sand	- gra	rel			
			0				
			1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1 constructed, c) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of Chuse Wrilling by (signature) (Hilling)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or other the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							