WATER WELL RECORD Form WWC-5 KSA 82a-1212											
1 LOCATION OF V		WELL:	FRACTION				TION NUMBER		SHIP NUMBER RANGE NUMBER		_
Sedgwick				/4 NW	1/4 NI	C 1/4	31	Т 2	5 S	R 1E	C E/W
Distance and direction from nearest town or city street address of well if located within city? 1/2 mile East of Meridian and 1/4 mile South of 85th St. N. (6 wells on 1 permit) Valley Center, Kansas											
2 WATER WELL OWNER: VALLEY CENTER, CITY OF											
RR#,ST. ADDRESS,BOX #: P.O. Box 188											
C	CITY, S	TATE: Val	lley Center,	Kansas		Z	IP CODE: 6	57147	Application Nun	nber: 2010	00058
3 LOCATE WEL	L'S LOC	CATION 4	DEPTH OF CO	MPLETED V	VELL:	40 ft.		ELEVATION:			
WITH AN "X" I	N SECT		Depth of groundw	ater Encount	tered:	f	t.		ft.		ft.
			WELL'S STATIC	WATER LEV	/EL 15	FT. BEL	OW LAND SU	URFACE MEAS	URED ON mo/o	day/yr: 4/15	5/10
		- NE		Pump test d		water was		ft. after		s of pumping @	gpm
w Wile			Est. Yield:	gpm 1	•	water was to	40 4	ft. after		s of pumping @	gpm
 			Bore Hole Diam			10	40 ft.	. and	in.	to	ft. ction well
	WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below)										
		2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well									
,	S		Was a chemical/ba	acteriological sa	ample submitted	to Department?	YES	No No Noter Well Digin		what mo/day/yr v	was sample NO
5 TYPE OF CASING USED: CASING USED: CASING IOINTS: Chied Threaded											
1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Striet (Specify Selow) Grant Science (Spe											
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26											
Blank casing dia	ameter	8	in. to	20 ft	., Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height a	above I	and surface:	12 in.	,	Weight:	5.52	lbs. / ft.	Wall ti	nickness or gau	ge No332	
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)											
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify)											
SCREEN - PERI	FORAT	ION INTERVAL	L From	20	ft.	to 40	ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.	to	ft.
GRAVE	L PAC	K INTERVALS:	From	20	ft.	to 40	ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug											ug
Grout Interva			0 ft.	to 20	ft., Fron	n fi	. to	ft.,	From	ft. to	ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens								13. Insect	ticide storage	15. Oil well/0	3as well
1 · · · · · · · · · · · · · · · · · · ·								14. Aband	don water well		pecify below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Appare										parent	
Direction from well?								How m	How many feet?		
	0		LITHOLOG	GIC LOG		From	To_		LITHOLO	OGIC LOG	
		topsoil									
$\overline{}$		clay fine sand									
		medium sar	ıd								
	-+										
-						_					
											· · · · · · · · · · · · · · · · · · ·
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
was complete	ed on (r	mo/day/year)	4/15/20	10	and this reco	ord is true to the	ne best of my	knowledge and	belief.		
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/19/2010											
under the business name of Harp Well and Pump Service by (signature) Todd S. Hourb											